

Methods of testing

Plastics —

Part 8: Other properties —

Method 835B: Determination of gelation time of polyester resins (manual method)

IMPORTANT NOTE. Before reading this method it is essential to read the foreword, general introduction and instructions to BS 2782, issued separately.

UDC 678.5/.8:678.01:536.421.4:678.674

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Executive Board and comes into effect on 30 May 1980

© BSI 10-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/17
Draft for approval 79/51003 DC

ISBN 0 580 11310 8

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
0 Introduction	1
1 Scope	1
2 References	1
3 Principle	1
4 Reagents	1
5 Apparatus	1
6 Test temperature	1
7 Procedure	1
8 Expression of results	2
9 Test report	2
Figure 1 — Typical apparatus for determination of gelation time of polyester resin (manual method)	2