

CONFIRMED
APRIL 1998

Specification for

Internal retaining rings (imperial sizes)

UDC 629.7:621.887:669.14.018.27

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Foreword

This revision of BS SP 96 specifies a range of internal retaining rings in imperial sizes only, suitable for aerospace applications and is based on BS 3673-1. The range of metric sizes is now contained in BS SP 166:1982. BS SP 96:1968 is now withdrawn.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 5 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Aerospace Standards Committee, was published under the authority of the Board of BSI and comes into effect on 30 September 1982

© BSI 02-2000

The following BSI references relate to the work on this standard:
Committee reference ACE/14
Draft for comment 81/73435 DC

ISBN 0 580 12900 4

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Foreword	Inside front cover
1 Scope	1
2 References	1
3 Definitions and nomenclature	1
4 Material	1
5 Heat treatment and hardness	2
6 Form, dimensions and tolerances	2
7 Finish	2
8 Tests	2
9 Marking	3
Figure 1 — Nomenclature of internal retaining ring	1
Figure 2 — Radial flatness error	2
Figure 3 — Bend and fracture test	3
Figure 4 — Bore for permanent set and grip test for internal retaining rings	4
Figure 5 — Internal retaining rings	4
Table 1 — Dimensions of internal retaining rings and recommended groove dimensions	5