

Specification for

Toughened polystyrene for sheet extrusion

Confirmed
November 2008

Co-operating organizations

The Plastics Industry Standards Committee, under whose supervision this British Standard was prepared, consists of representatives from the following Government departments and scientific and industrial organizations:

- Admiralty
- Board of Trade
- British Electrical and Allied Industries Research Association*
- British Electrical and Allied Manufacturers' Association*
- British Plastics Federation*
- D.S.I.R. — Building Research Station
- Electronic Engineering Association
- Ministry of Aviation*
- Oil Companies Materials Association
- Plastics Institute*
- Post Office*
- Royal Institute of British Architects

The Government departments and scientific and industrial organizations marked with an asterisk in the above list together with the following were directly represented on the Committee entrusted with the preparation of this British Standard:

- National Physical Laboratory (D.S.I.R.)
- Telecommunication Engineering and Manufacturing Association

This British Standard, having been approved by the Plastics Industry Standards Committee and endorsed by the Chairman of the Chemical Divisional Council, was published under the authority of the General Council on 8 April 1960

© BSI 12-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/6
Draft for comment A(PLC) 1135

ISBN 0 580 03005 9

Amendments issued since publication

Amd. No.	Date of issue	Comments
4132	April 1961	Indicated by a sideline in the margin

Contents

	Page
Co-operating organizations	Inside front cover
Foreword	ii
1 Scope	1
2 Impact strength	1
3 Softening point	1
4 Tensile strength and elongation	1
5 Moisture content	1
6 Volatile matter	1
7 Sieve analysis	1
8 Deflection under load	1
9 Colour fastness to light	1
10 Colour stability to heat	1
11 Marking	1
Appendix A Preparation of moulded test sheet	2
Appendix B Method of determining impact strength	2
Appendix C Method of determining tensile strength and elongation at break	2
Appendix D Method of determining moisture content	2
Appendix E Method of determining colour stability to heat	2
Figure 1 — Mould	3