

Analysis of formulated detergents —

Part 3: Quantitative test methods —

Section 3.2 Method for determination of hydrolyzable and non-hydrolyzable anionic-active matter content after hydrolysis under alkaline conditions

[ISO title: Surface active agents — Detergents — Anionic-active matter hydrolyzable under alkaline conditions — Determination of hydrolyzable and non-hydrolyzable anionic-active matter content]

NOTE It is recommended that this Section be read in conjunction with the information in the “*General introduction*”, published separately as BS 3762-0.

UDC 661.185:543.24:661.185.22

This British Standard, having been prepared under the direction of the Chemicals Standards Committee, was published under the authority of the Board of BSI and comes into effect on 30 December 1983

© BSI 12-1999

The committees responsible for this British Standard are shown in Part 0.

The following BSI references relate to the work on this standard:
Committee reference CIC/34
Draft announced in *BSI News* July 1983

ISBN 0 580 13568 3

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
National foreword	ii
1 Scope and field of application	1
2 Reference	1
3 Principle	1
4 Reagents	1
5 Apparatus	1
6 Procedure	1
7 Expression of results	1
8 Test report	2
Publications referred to	Inside back cover