

Specification for

Wood wool permanent formwork and infill units for reinforced concrete floors and roofs

UDC [692.4 + 692.5]:691.328:69.057.5:691.115

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee B/540, Energy performance of materials, components and buildings, to Subcommittee B/540/4, Wood wool slabs, upon which the following bodies were represented:

- Department of the Environment (Building Research Establishment)
- Flat Roofing Contractors Advisory Board
- Health and Safety Executive
- Institution of Structural Engineers
- Loss Prevention Council
- National Federation of Roofing Contractors
- National Joint Council for the Building Industry (operatives side)
- Royal Institute of British Architects
- Wood Wool Slab Manufacturers' Association

This British Standard, having been prepared under the direction of the Technical Committee B/540, was published under the authority of the Standards Board and comes into effect on 15 June 1993

© BSI 08-1999
First published October 1964
Second edition June 1971
Third edition June 1993

The following BSI references relate to the work on this standard:
Committee reference B/540/4
Draft for comment 92/15812 DC

ISBN 0 580 21771 X

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Normative reference	1
3 Definitions	1
4 Form	1
5 Tolerances	1
6 Density	1
7 Weight	1
8 Suitability for carrying suspended loads	1
9 Surface finishes	1
10 Selection of units for testing	1
11 Documentation	2
Annex A (informative) Recommendations for the use of wood wool permanent formwork and infill units	3
Annex B (normative) Method of measuring length, width and depth of units	3
Figure A.1 — Typical arrangement of wood wool permanent formwork	4
List of references	Inside back cover