

CONFIRMED
SEPTEMBER 1998

Specification for

Nickel-chromium- titanium-aluminium heat-resisting alloy bar and wire for the manufacture of fasteners —

(Maximum diameter or minor sectional
dimension 30 mm)

(Nickel base Cr 19.5-Ti 2.2-Al 1.4)

UDC 629.7:669.245'26'295'71 – 42:621.882:669.018.4:[669 – 134 – 131.2 – 126]

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Aerospace Standards Policy Committee (ACE/-) to Technical Committee ACE/48, upon which the following bodies were represented:

- British Industrial Fasteners Federation
- British Steel Industry
- Ministry of Defence
- Seamless Steel Tube Association
- Society of British Aerospace Companies Limited

This British Standard, having been prepared under the direction of the Aerospace Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 30 November 1989

© BSI 02-2000

The following BSI references relate to the work on this standard:
Committee reference ACE/48
Draft for comment 88/71655 DC

ISBN 0 580 17578 2

Amendments issued since publication

Amd. No.	Date of issue	Comments
6529	May 1990	Indicated by a sideline in the margin

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 References	1
3 Material requirements	1
Table 1 — Material requirements	2