

Methods for

The measurement of performance of still projectors

Co-operating organizations

The Photographic Industry Standards Committee, under whose supervision this British Standard was prepared, consists of representatives from the following Government departments and scientific and industrial organizations:

- Aslib
- Board of Trade
- British Kinematograph Sound and Television Society
- British Photographic Manufacturers' Association*
- British Scientific Instrument Research Association
- Electric Lamp Industry Council*
- Federation of Master Process Engravers
- H.M. Stationery Office
- Illuminating Engineering Society
- Institute of Incorporated Photographers
- Institute of Physics and The Physical Society
- Institute of Reprographic Technology
- Ministry of Defence, Navy Department
- Ministry of Health
- Ministry of Technology*
- Photographic Dealers' Association*
- Post Office
- Scientific Instrument Manufacturers' Association
- Wholesale Photo Finishers' Association

The scientific and industrial organizations marked with an asterisk in the above list, together with the following, were directly represented on the committee entrusted with the preparation of this British Standard:

- Consumer Council
- Educational Foundation for Visual Aids
- Institution of Electrical Engineers
- National Committee for Visual Aids in Education
- Society of Radiographers
- Individual Manufacturers

This British Standard, having been approved by the Photographic Industry Standards Committee and endorsed by the Chairman of the Chemical Divisional Council, was published under the authority of the General Council on 26 September 1968

© BSI 12-1999

The following BSI references relate to the work on this standard:
Committee references PHC/11, PHC/11/2
Draft for comment D63/7492

ISBN 0 580 00316 7

Amendments issued since publication

Amd. No.	Date of issue	Comments
1680	March 1975	Indicated by a sideline in the margin

Contents

	Page
Co-operating organizations	Inside front cover
Foreword	ii
1 Scope	1
2 Definitions	1
3 General conditions of test	1
4 Accuracy of location of the pictures projected on the screen	2
5 Resolving power of lens	2
6 Uniformity of illumination	3
7 Temperature rise of slide	3
8 Distance between lens and screen for a 1 m wide picture	3
9 Light output	3
10 Working temperature of casing	4
Annex A <i>Deleted</i>	
Annex B <i>Deleted</i>	
Figure 1 — <i>Deleted</i>	
Figure 2a — <i>Deleted</i>	
Figure 2b — <i>Deleted</i>	
Figure 3 — <i>Deleted</i>	
Figure 4 — <i>Deleted</i>	
Table 1 — Test slide dimensions	2