

Methods of test for

Flexible cellular materials —

**Part 7: Method 17. Determination of
tear strength of flexible cellular
material with an integral skin**

ICS 83.100

Confirmed November 2008



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/24, upon which the following bodies were represented:

- British Plastics Federation
- British Railways Board
- British Rigid Urethane Foam Manufacturers' Association
- British Rubber Manufacturers Association Ltd.
- Department of the Environment (Building Research Establishment)
- Furniture Industry Research Association
- Furniture, Timber and Allied Trades Union
- Ministry of Defence
- National Bed Federation Ltd.
- Phenolic Foam Manufacturers' Association
- RAPRA Technology Ltd.
- Society of British Aerospace Companies Ltd.
- Society of Motor Manufacturers and Traders Ltd.

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 1 May 1992

© BSI 2008
First published December 1983
Second edition May 1992

The following BSI references relate to the work on this standard:
Committee reference PRM/24
Draft for comment 91/38678 DC

ISBN 978 0 580 63456 7

Amendments issued since publication

Amd. No.	Date	Comments
A1	31 July 2008	Removal of Method 18 (see Foreword) and references updated. See tags A1 A1 .

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
Section 1. General	
1.1 Scope	1
1.2 Definitions	1
Section 2. Method 17. Determination of tear strength of flexible cellular material with an integral skin	
2.1 General	2
2.2 Apparatus	2
2.3 Test specimens	2
2.4 Conditioning and test conditions	2
2.5 Procedure	2
2.6 Test report	2
Figure 1 — Tear resistance test specimen	3
Figure 2 — Schematic test arrangement	3
Figure 3 — Alignment of test specimens in clamps	4
Publication(s) referred to	Inside back cover