

Recommendations for

The presentation of plastics design data —

Part 1: Mechanical properties —

**Subsection 1.1.2. Creep in flexure at low
strains**

IMPORTANT NOTE. Before reading this section it is essential to read the General Introduction to this series of Recommendations, issued separately, and also Section 1.1.

UDC 001.8:678.5/.8:539.434:539.413

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 5 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date of issue	Comments
2243	March 1977	Indicated by a sideline in the margin

© BSI 08-1999

The following BSI references relate to work on this subsection:
Committee reference PLC/36/7
Draft for comment 75/52029 DC

ISBN 0 580 09403 4

Contents

	Page
0 Introduction	1
1 Apparatus and specimen requirements	1
2 Test conditions	2
3 Procedure	2
4 Form of presentation	2
Appendix A	4
Figure 1.1.2/1 — Schematic layout for three-point flexing procedure	4
Figure 1.1.2/2 — Creep compliance against time	5
Figure 1.1.2/3 — Creeps modulus against time	5
Table 1 — Requirements for test categories	3