

Recommendations for

The presentation of plastics design data —

Part 1: Mechanical properties —

Subsection 1.3.1 Static fatigue failure

IMPORTANT NOTE. Before reading this subsection it is essential to read the General Introduction to this series of Recommendations, issued separately. This subsection is intended to be read in conjunction with section 1.3.

UDC 001.8:678.5/.8:539.435

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 5 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
0 Introduction	1
1 General considerations	1
2 Test conditions	1
3 Procedure	1
4 Test programme	1
5 Form of presentation	2
Supplement No. 1 — Static fatigue in uniaxial tension	4
0 Introduction	4
1 Apparatus and test specimens	4
2 Test conditions	4
3 Recommended experimental programmes	4
4 Form of presentation	5
Figure 1 — Stress failure curves	3
Figure 2 — Typical effect of temperature on crazing	3
Figure 3 — Unnotched specimen	5
Figure 4 — Notched specimen	5