

Rigid polyurethane (PUR) and polyisocyanurate (PIR) foam for building applications —

Part 1: Specification for laminated
board for general purposes

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/72, upon which the following bodies were represented:

- Association of Building Component Manufacturers
- Brick Development Association
- British Board of Agrément
- British Plastics Federation
- British Rigid Urethane Foam Manufacturers' Association
- Calcium Silicate Brick Association Limited
- Cavity Foam Bureau
- Chief and Assistant Chief Fire Officers' Association
- Department of the Environment (Building Research Establishment)
- Department of the Environment (Construction Industries Directorate)
- European Engineering Equipment and Materials Users' Association
- European Phenolic Foam Association
- Flat Roofing Contractors' Advisory Board
- Loss Prevention Council
- Ministry of Defence
- National Cavity Insulation Association
- National Federation of Roofing Contractors
- National House-building Council
- Polyethylene Foam Insulation Association
- Royal Institute of British Architects

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 October 1993

© BSI 05-1999

First published May 1975
Second edition October 1993

The following BSI references relate to the work on this standard:
Committee reference PRM/72
Draft for comment 92/46317 DC

ISBN 0 580 22541 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Normative references	1
3 Construction	1
4 Composition of foam core	1
5 Designation	1
6 Sampling	1
7 Physical properties	2
8 Dimensions	2
9 Marking	2
Annex A Method of test for compressive strength	3
Annex B Guidance on thermal conductivity design and 3 day values	3
Annex C Method of test for dimensional stability	3
Annex D Burning properties of rigid urethane foam core and recommendations regarding its use	3
Table 1 — Designation codes for thermal conductivity	1
Table 2 — Physical property requirements	2
List of references	Inside back cover