

Methods of test for

Footwear and footwear materials —

Part 2: Solings —

Section 2.7 The preparation of test pieces from soling materials for physical testing

NOTE It is recommended that this Section should be read in conjunction with the information given in the General introduction to BS 5131, published separately.

UDC 685.31:620.1:685.312.122:620.115.8

Confirmed January 2011

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Clothing Standards Committee, was published under the authority of the Executive Board and comes into effect on 30 May 1980

© BSI 10-1999

The following BSI references relate to the work on this standard:
Committee reference CLT/7
Draft for comment 78/35997 DC

ISBN 0 580 11316 7

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
1 Scope	1
2 References	1
3 Principle	1
4 Test piece thickness	1
5 Procedure for reduction of the thickness of solings and moulded test slabs	1
6 Preparation of moulded test slabs	2
7 Methods for production of test sheets from thicker material	2
8 Time intervals between moulding, test sheet preparation and test piece cutting	5
9 Cutting of test pieces	5
Figure 1 — Test sheet prepared by injection moulding	5
Figure 2 — Cross section of press knife cutting edge	6

