

Methods of test for

Footwear and footwear materials —

Part 5: Testing of complete footwear —

Section 5.2 Degree of vulcanization of
moulded-on rubber soles

NOTE It is recommended that this Section should be read in conjunction with BS 5131-0, published separately.

Confirmed January 2011

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Textiles and Clothing Standards Policy Committee (TCM/-) to Technical Committee TCM/39, upon which the following bodies were represented:

- British Footwear Manufacturers' Federation
- British Leather Confederation
- British Rubber Manufacturers' Association
- British Steel plc
- Consumer Standards Advisory Committee of BSI
- Cork Industry Federation
- Footwear Components Federation
- Footwear Distributors' Federation
- Institute of Trading Standards Administration
- Iron and Steel Trades Confederation
- Lancashire Footwear Manufacturers' Association
- Mail Order Traders Association of Great Britain
- Ministry of Defence
- National Union of Footwear, Leather and Allied Trades
- Office of Fair Trading
- SATRA Footwear Technology Centre

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

- British Adhesives and Sealants Association
- British Paper and Board Industry Federation
- British Plastics Federation
- Multiple Shoe Retailers' Association
- RAPRA Technology Ltd.

This British Standard, having been prepared under the direction of the Textiles and Clothing Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 31 January 1991

© BSI 10-1999

First published February 1975
Second edition January 1991

The following BSI references relate to the work on this standard:
Committee reference TCM/39
Draft for comment 89/36233 DC

ISBN 0 580 18981 3

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Principle	1
3 Apparatus	1
4 Preparation of test specimens	1
5 Procedure	1
6 Calculations and expression of results	2
7 Test report	4
Figure 1 — Diagram of apparatus	2
Figure 2 — Location of test specimens from the sole and positions of lines AA, A'A' and BB	3
Figure 3 — Marking of lines on test specimens and arrangement and marking of test points	4
Figure 4 — Typical indentation graph for an under-vulcanized position on a sole	5
Figure 5 — Graphs indicating extremes of vulcanization for a satisfactorily vulcanized position on a sole	6
Publication(s) referred to	Inside back cover

Foreword

This Section of BS 5131 has been prepared under the direction of the Textiles and Clothing Standards Policy Committee. It supersedes BS 5131-5.2:1975, which is withdrawn.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.