

Specification for

Acrylonitrile- butadiene-styrene (ABS) fittings for use with ABS pressure pipe —

**Part 1: Fittings for use with pipe for
industrial uses**

UDC 678.745.32 – 139:678.762.2 – 139:678.746.22 – 139:621.643.4 – 987

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Cooperating organizations

The Plastics Standards Committee, under whose supervision this British Standard was prepared, consists of representatives from the following Government departments and professional, scientific and industrial organizations:

British Plastics Federation*	Electrical Research Association
British Resin Manufacturers' Association	Engineering Equipment Users' Association*
Chemical Industries Association Ltd.*	Institution of Production Engineers
Department of the Environment, Building Research Establishment	Ministry of Defence*
Department of Industry — Chemicals and Textiles	Plastics and Rubber Institute
Department of Industry — National Physical Laboratory	Post Office
Electrical and Electronic Insulation Association	Royal Institute of British Architects*
Electrical Installation Equipment Manufacturers' Association	Rubber and Plastics Research Association of Great Britain
	Society of Motor Manufacturers and Traders Ltd.*
	Society of Chemical Industry

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the committee entrusted with the preparation of this British Standard:

Agrément Board	Institution of Civil Engineers
British Chemical and Dyestuffs Traders' Association Ltd.	Institution of Municipal Engineers
British Gas Corporation	Institution of Public Health Engineers
British Valve Manufacturers Association	Institution of Water Engineers and Scientists
British Rubber Manufacturers' Association Ltd.	Lloyd's Register of Shipping
Copper Tube Fittings Manufacturers' Association	Ministry of Agriculture, Fisheries and Food
Department of the Environment	National Association of Plumbing, Heating and Mechanical Services Contractors
Electricity Supply Industry in England and Wales	National Institute for Research in Dairying
Environmental Health Officers' Association	National Water Council
Greater London Council	Oil Companies Materials Association
Institute of Plumbing	Royal Society of Health
	Society of Builders' Merchants
	Water Companies Association
	Water Research Centre

This British Standard, having been prepared under the direction of the Plastics Standards Committee, was published under the authority of the Executive Board on 29 October 1976

© BSI 07-1999

The following BSI references relate to the work on this standard:
Committee reference PLC/9 and PLC/9/3
Draft for comment 72/50536DC and draft for approval 76/51449

ISBN 0 580 09496 0

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Cooperating organizations	Inside front cover
Foreword	ii
1 Scope	1
2 References	1
3 Material	1
4 Designation of dimensional characteristics	1
5 Classification of fittings	1
6 Dimensions	1
7 Physical characteristics	2
8 Frequency of testing and retests	2
9 Marking	3
Appendix A Stress relief test	4
Appendix B Long-term hydrostatic test	4
Appendix C Short-term hydrostatic test	4
Appendix D Sampling quantities	5
Figure 1 — Socket dimensions	1
Table 1 — Socket dimensions	1
Publications referred to	6

Foreword

This Part of BS 5392 has been prepared under the authority of the Plastics Standards Committee and is based on a draft submitted by the British Plastics Federation.

This Part specifies requirements for fittings for use with ABS pipe for industrial use, as specified in BS 5391-1; it is intended to publish Part 2 dealing with pipe for use with potable water when work to ensure biological suitability for this application has been completed.

It is usual to manufacture each type of fitting with a single wall thickness appropriate to the maximum pressure class of pipe with which it is intended to be used.

Unlike ABS pipe, there is no requirement for the colour coding of fittings, but there is a requirement to mark indelibly the appropriate maximum pressure rating class for which the fitting is suitable.

Attention is drawn to CP 312, which has been prepared to assist users in assessing the suitability of plastics pipes for particular purposes and to ensure their proper application.

Certification. It is strongly recommended that in view of the nature of this specification manufacturers and purchasers should make use of the certification facilities described on the inside back cover of this standard.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.