

Wall hung WC pans —

Part 4: Specification for wall hung WC pans for use with 7.5 L maximum flush capacity cisterns

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Building Services Standards Policy Committee (SEB/-) to Technical Committee SEB/1, upon which the following bodies were represented:

- British Bathroom Council
- British Plastics Federation
- Clay Pipe Development Association Limited
- Consumer Policy Committee of BSI
- Department of Health
- Department of the Environment (Property Services Agency)
- Department of the Environment (Building Research Establishment)
- Department of the Environment for Northern Ireland
- Institute of Clerks of Works of Great Britain Inc.
- Institute of Plumbing
- Institute of Vitreous Enamellers
- Institution of Environmental Health Officers
- Institution of Water and Environmental Management
- Metal Sink Manufacturers' Association
- Royal Institute of British Architects
- Vitreous Enamel Development Council
- Water Services Association of England and Wales

This British Standard, having been prepared under the direction of the Building Services Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 31 October 1990

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference SEB/1
Draft for comment 88/14138 DC

ISBN 0 580 18912 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
Section 1. General	
1 Scope	1
2 Marking	1
Section 2. Material, quality, design and construction	
3 Material and quality	2
4 Design and construction	2
Section 3. Performance requirements	
5 Flushing requirements	5
Appendix A Flushing tests	6
Figure 1 — Wall hung WC pan with close-coupled cistern	3
Figure 2 — Wall hung WC pan with independent cistern	4
Figure 3 — Test flush pipe for low level cistern	7
Table 1 — Functional dimensions (other than connecting dimensions) for wall hung WC pans with close-coupled cistern and for wall hung WC pans with independent cistern	2
Publications referred to	Inside back cover

Foreword

This Part of BS 5504 has been prepared under the direction of the Building Services Standards Policy Committee in order to supplement Parts 1 and 2 of BS 5504.

This Part of BS 5504 is complementary to BS 5504-3 which specifies requirements for wall hung WC pans designed for use with 9 L flushing cisterns. A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 8, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Section 1. General

1 Scope

This Part of this BS 5504 specifies material, quality, performance and functional dimensions (other than connecting dimensions) for wall hung washdown WC pans designed for use with independent or close-coupled cisterns complying with BS 7357 having a flush capacity of 7.5 L maximum.

NOTE The titles of the publications referred to in this standard are listed on the inside back cover.

2 Marking

Wall hung WC pans shall be permanently marked with the following information.

- a) The manufacturer's name or identification mark.
- b) The number of this British Standard¹⁾, i.e. BS 5504-4.
- c) Either EN 34 or EN 38 as appropriate.

Marking shall be capable of being seen after installation.

¹⁾ Marking BS 5504-4 on or in relation to a product represents a manufacturer's declaration of conformity, i.e. a claim by or on behalf of the manufacturer that the product meets the requirements of the standard. The accuracy of the claim is therefore solely the responsibility of the person making the claim. Such a declaration is not to be confused with third party certification of conformity, which may also be desirable.