

Cinematography —

Part 2: 16 mm film —

Section 2.4 Sound —

Subsection 2.4.1 Specification for positions and dimensions of 16 mm negative photographic sound record on 16 mm, 35/16 mm and 35/32 mm motion-picture film

UDC 778.5.068.25:778.534.45.068

Cooperating organizations

The Cinematograph Standards Committee, under whose direction this British Standard was prepared, consists of representatives from the following Government department and scientific and industrial organizations:

- Association of Cinematograph, Television and Allied Technicians
- British Broadcasting Corporation*
- British Film Institute
- British Kinematograph, Sound and Television Society*
- British Photographic Manufacturers' Association
- Cinematograph Exhibitors' Association of Great Britain and Ireland*
- Film Laboratory Association
- Film Production Association of Great Britain*
- Health and Safety Executive
- Illuminating Engineering Society
- Independent Television Companies' Association*
- Royal Photographic Society*

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the committee entrusted with the preparation of this British Standard:

- Association of Independent Cinemas
- Institute of Amateur Cinematographers
- Co-opted members
- National Association of Theatrical, Television & Kine Employees

This British Standard, having been prepared under the direction of the Cinematograph Standards Committee, was published under the authority of the Executive Board on 31 March 1978

© BSI 10-1999

The following BSI references relate to the work on this standard:
Committee reference CMS/23
Draft for comment 75/62915

ISBN 0 580 10100 2

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Cooperating organizations	Inside front cover
National foreword	ii
1 Scope and field of application	1
2 References	1
3 Dimensions	1
4 Location for emulsion	1
Figure 1 — 16 mm film	1
Figure 2 — 35 mm film perforated 16 mm 3R (1-3-0) (sound record dimensions are the same as in Figure 1)	2
Figure 3 — 35 mm film perforated 32 mm 2R (1-4) (sound record dimensions are the same as in Figure 1)	2
Publications referred to	Inside back cover