

Specification for

# Screw cores made of magnetic oxides or iron powder

UDC 621.3.042:621.318.1:669.1.018.58

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

# Cooperating organizations

The Electronic Components Standards Committee, under whose direction this British Standard was prepared, consists of representatives from the following Government department and scientific and industrial organizations:

- British Electrical and Allied Manufacturers' Association (BEAMA)
- Electricity Supply Industry in England and Wales
- Electronic Components Industry Federation\*
- Institution of Electronic and Radio Engineers
- Ministry of Defence\*
- National Supervising Inspectorate\*
- Post Office
- Society of British Aerospace Companies Limited\*
- Telecommunication Engineering and Manufacturing Association (TEMA)\*
- Trades Union Congress

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the committee entrusted with the preparation of this British Standard:

- Electronic Engineering Association

This British Standard, having been prepared under the direction of the Electronic Components Standards Committee, was published under the authority of the Executive Board on 31 October 1978

© BSI 12-1999

The following BSI references relate to the work on this standard:  
Committee reference ECL/20  
Draft for comment 75/27821

ISBN 0 580 10398 6

## Amendments issued since publication

| Amd. No. | Date of issue | Comments |
|----------|---------------|----------|
|          |               |          |
|          |               |          |
|          |               |          |
|          |               |          |

# Contents

|                                       | Page               |
|---------------------------------------|--------------------|
| Cooperating organizations             | Inside front cover |
| Foreword                              | ii                 |
| 1 Scope                               | 1                  |
| 2 Dimensions                          | 1                  |
| 3 Torsional strength                  | 2                  |
| Figure 1 — Thread profile             | 1                  |
| Figure 2 — Slot shape                 | 2                  |
| Table 1 — Range 1 screw cores         | 1                  |
| Table 2 — Range 2 screw cores         | 1                  |
| Table 3 — Dimensions of slots         | 2                  |
| Table 4 — Torsional strength of cores | 2                  |