

Methods of sampling and test for carbonaceous materials used in aluminium manufacture —

Part 1: Electrode pitch —

Section 1.11: Determination of the atomic C/H ratio of the quinoline-insoluble material

ICS 71.100.10

National foreword

This British Standard reproduces verbatim ISO 12979:1999 and implements it as the UK national standard. It supersedes BS 6043-1.11:1994 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CII/24, Raw materials for the aluminium industry, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii to iv, pages 1 to 11 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Sector Committee for Materials and Chemicals, was published under the authority of the Standards Committee and comes into effect on 15 January 2000

© BSI 01-2000

ISBN 0 580 35777 5

Amendments issued since publication

Amd. No.	Date	Comments

**Carbonaceous materials used in the
production of aluminium — Pitch for
electrodes — Determination of C/H ratio in
the quinoline-insoluble fraction**

*Produits carbonés utilisés pour la production de l'aluminium — Brais pour
électrodes — Détermination du rapport C/H dans la fraction insoluble dans
la quinoline*



Reference number
ISO 12979:1999(E)

Contents

Page

1	Scope	1
2	Normative references	1
3	Principle	1
4	Isolation of quinoline-insoluble material for analysis	2
4.1	Reagents	2
4.2	Apparatus	2
4.3	Sampling and preparation of the test sample	2
4.4	Procedure	2
4.5	Calculation and expression of results	5
5	Analysis of quinoline-insoluble material for carbon and hydrogen content	5
5.1	Reagents	5
5.2	Apparatus	5
5.3	Preparation of the apparatus	7
5.4	Procedure	9
5.5	Calculation and expression of results	9
5.6	Ash content	10
6	Precision	11
6.1	Repeatability	11
6.2	Reproducibility	11
7	Test report	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 12979 was prepared by Technical Committee ISO/TC 47, *Chemistry*, Subcommittee SC 7, *Aluminium oxide, cryolite, aluminium fluoride, sodium fluoride, carbonaceous products for the aluminium industry*.