

Methods of sampling and test for

Carbonaceous materials used in aluminium manufacture —

Part 1: Electrode pitch —

Section 1.13 Determination of sulfur
content (routine method)

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Chemicals Standards Policy Committee (CIC/-) to Technical Committee CIC/24, upon which the following bodies were represented:

- Aluminium Federation
- British Ceramic Research Ltd.
- Chemical Industries Association
- Institute of Petroleum
- Refractories Association of Great Britain

This British Standard, having been prepared under the direction of the Chemicals Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 January 1994

© BSI 10-1999

The following BSI references relate to the work on this standard:
Committee reference CIC/24
Draft for comment 93/504549 DC

ISBN 0 580 22388 4

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 References	1
3 Principle	1
4 Reagents	1
5 Apparatus	1
6 Preparation of apparatus	3
7 Sampling and test sample preparation	3
8 Procedure	3
9 Determination of the blank	4
10 Calculation of result	4
11 Test report	4
Figure 1 — Absorption train and furnace	2
Figure 2 — Temperature distribution curve	2
List of references	Inside back cover