BRITISH STANDARD

BS 6043-3.4:2000
ISO 12985-2:2000

Methods of sampling and test for raw materials used in aluminium manufacture —

Part 3: Electrodes —

Section 3.4: Determination of the open porosity and bulk density (apparent density) of cathode blocks and prebaked anodes using a hydrostatic method

ICS 71.100.10

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI Documents
Document Sharing Hub

Full document details: BS 6043-3.4:2000

National foreword

This British Standard reproduces verbatim ISO 12985-2:2000 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee CII/24, Raw materials for the aluminium industry, which has the responsibility to:

— aid enquirers to understand the text;

— present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;

— monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii and iii, a blank page, pages 1 to 5 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Sector Committee for Materials and Chemicals, was published under the authority of the Standards Committee and comes into effect on 15 October 2000

© BSI 10-2000

ISBN 0 580 36588 3

Amendments issued since publication

Amd. No.	Date	Comments

Documents
Document Sharing Hub

Full document details: BS 6043-3.4:2000

INTERNATIONAL STANDARD

ISO 12985-2

First edition
2000-06-01

Carbonaceous materials used in the production of aluminium — Baked anodes and cathode blocks —

Part 2: Determination of apparent density and of open porosity using a hydrostatic method

Produits carbonés utilisés pour la production de l'aluminium — Anodes cuites et blocs cathodiques —

Partie 2: Détermination de la masse volumique apparente et de la porosité ouverte par une méthode hydrostatique

Reference number
ISO 12985-2:2000(E)

Documents
Document Sharing Hub

Full document details: BS 6043-3.4:2000

Documents
Document Sharing Hub
Full document details: BS 6043-3.4:2000