

Wideband cabled distribution systems —

Part 4: Specification for performance requirements, for upstream television

UDC [621.396.44:654.195.2] + [621.397.132.122:654.197.2]

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Electronic Equipment Standards Committee (EEL/-) to Technical Committee EEL/25 upon which the following bodies were represented:

- British Broadcasting Corporation
- British Radio and Electronic Equipment Manufacturers' Association
- British Telecommunications
- Department of Trade and Industry, Directorate of Radio Technology
- Institution of Electronic and Radio Engineers
- Radio, Electrical and Television Retailers' Association

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

- British Kinematograph, Sound and Television Society
- Cable Television Association of Great Britain
- Consumer Standards Advisory Committee of BSI
- Consumers' Association
- Electric Cable Makers' Confederation
- Electronic Components Industry Federation
- Electronic Engineering Association
- Independent Broadcasting Authority
- Institution of Electrical Engineers
- Society of Cable Television Engineers
- Telecommunication Engineering and Manufacturing Association

This British Standard, having been prepared under the direction of the Electronic Equipment Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 July 1984

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference EEL/25
Draft for comment 83/24129 DC

ISBN 0 580 13904 2

Amendments issued since publication

Amd. No.	Date of issue	Comments
5794	December 1987	Indicated by a sideline in the margin

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
Section 1. General	
1.1 Scope	1
1.2 Definitions, designations and abbreviations	1
1.3 Input signals	1
1.4 General	1
Section 2. Performance requirements	
2.1 Impedance	2
2.2 R.F. signal levels	2
2.3 Amplitude/frequency response	2
2.4 Random noise	2
2.5 Single-frequency interference	2
2.6 Single-channel intermodulation interference	2
2.7 Multiple-frequency interference (composite beat)	2
2.8 Cross-modulation	4
2.9 Differential gain and phase	4
2.10 Echo rating	4
2.11 Hum modulation	4
2.12 Chrominance-luminance gain and delay inequalities	4
2.13 Data signals carried in the structure of a television channel (teletext)	4
Section 3. <i>Text deleted</i>	
Figure 1 — Carrier to single-frequency interference protection ratio for 625-line PAL system I (reverse path), C.W. interference with no special control	3
Table 1 — Modulator input signal levels	1
Publications referred to	Inside back cover