

Determination of decarburization in steel —

Part 2: Methods for determining decarburization by chemical and spectrographic analysis techniques

UDC 669.14.046.564:621.78.019.4:620.1

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Iron and Steel Standards Committee (ISM/-) to Technical Committee ISM/72, upon which the following bodies were represented:

- British Industrial Fasteners Federation
- British Steel Industry
- Ministry of Defence

This British Standard, having been prepared under the direction of the Iron and Steel Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 December 1987

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference ISM/72
Draft for comment 86/41251 DC

ISBN 0 580 16272 9

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
0 Introduction	1
1 Scope	1
2 Definitions	1
3 Condition of material for examination	1
4 Determination of depth of decarburization	1
5 Test report	2
Figure 1 — Carbon content as a function of distance from the surface: schematic representation for a typical decarburized steel	3
Publications referred to	Inside back cover