

Clay and calcium silicate pavers for flexible pavements —

Part 2: Code of practice for design of lightly trafficked pavements

UDC 625.82.021:666.71

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Clay Products Standards Committee (CLB/-) to Technical Committee CLB/11, upon which the following bodies were represented:

- Association of London Borough Engineers and Surveyors
- Brick Development Association
- British Ceramic Research Association
- Calcium Silicate Brick Association Ltd.
- County Surveyors' Society
- Department of the Environment, Department of Transport (Common Services)
- Department of Transport (Highways)
- Greater London Council
- Institution of Highways and Transportation
- National Federation of Clay Industries Ltd.
- North of Ireland Brickmakers' Association

This British Standard, having been prepared under the direction of the Clay Products Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 January 1986

© BSI 02-1999

The following BSI references relate to the work on this standard:
Committee reference CLB/11
Draft for comment 84/100800 DC

ISBN 0 580 14835 1

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Definitions	1
3 General	1
4 Sub-base design	1
5 Roadbase design	2
6 Bedding course design	2
7 Wearing surface design	2
8 Edge restraint	4
9 Drainage	5
10 Finished tolerances	5
Figure 1 — Typical bond patterns	4
Figure 2 — Temporary timber restraint	4
Figure 3 — Surface profile for pavement	5
Table 1 — Estimated laboratory California Bearing Ratios for British soils compacted at the natural moisture content	2
Table 2 — Sub-base thicknesses for highway pavements	3
Publications referred to	Inside back cover

Foreword

This Part of BS 6677 has been prepared under the direction of the Clay Products Standards Committee. This Part of the standard is a code of practice for the design of lightly trafficked flexible pavements incorporating clay or calcium silicate pavers. BS 6677-1 and BS 6677-3, published simultaneously, are, respectively, a specification for the pavers and a method for the construction of flexible pavements incorporating the pavers.

It is intended to include guidance on the design of heavily trafficked pavements in this code of practice at a later date by amendment.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.