

Guide for

Cable connections for gas-insulated metal-enclosed switchgear for rated voltages of 72.5 kV and above —

(Implementation of CENELEC
HD 358 S2)

UDC 621.316.3:621.3.048.1/.82/.83:621.3.027.7

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Power Electrical Engineering Standards Committee (PEL/-) to Technical Committee PEL/92, upon which the following bodies were represented:

- ASTA Certification Services
- Association of Manufacturers Allied to the Electrical and Electronic Industry (BEAMA Ltd.)
- British Railways Board
- Copper Development Association
- Department of the Environment (Property Services Agency)
- ERA Technology Ltd.
- Electrical Installation Equipment Manufacturers Association (BEAMA Ltd.)
- Electricity Supply Industry in England and Wales
- GAMBICA (BEAMA Ltd.)
- Health and Safety Executive
- Transmission and Distribution Association (BEAMA Ltd.)

This British Standard, having been prepared under the direction of the Power Electrical Engineering Standards Committee, was published under the authority of the Board of BSI and comes into effect on 30 November 1987

© BSI 11-1999

The following BSI references relate to the work on this standard:
Committee reference PEL/92
Draft for comment 86/31472 DC

ISBN 0 580 16215 X

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
1 Scope	1
2 Object	1
3 Definitions	1
4 Limits of supply	1
5 Rated values	1
5.1 Rated voltage	1
5.2 Number of phases in one enclosure	1
5.3 Rated insulation level	1
5.4 Rated normal current and temperature rise	1
5.5 Rated short-time and peak withstand currents	3
6 Standard dimensions	3
7 Gas pressure	3
8 Tests	3
8.1 General	3
8.2 Dielectric type tests	3
9 Mechanical forces on cable terminations	5
10 Test after cable installation	5
Figure 1 — Typical cable connection assembly for gas-insulated metal-enclosed switchgear for rated voltages of 72.5 kV and above	2
Figure 2 — Typical cable connection assembly for gas-insulating metal-enclosed switchgear for rated voltages of 72.5 kV and above	4
Figure 3 — Non-symmetrical arrangement for dielectric tests of cable terminations	5
Table I — Gas-pressure limits for dielectric type test of cable terminations	3
Publications referred to	Inside back cover

National foreword

BS 6904 has been prepared under the direction of the Power Electrical Engineering Standards Committee and is identical with IEC Publication 859:1986 “*Cable connections for gas-insulated metal-enclosed switchgear for rated voltages of 72.5 kV and above*”, published by the International Electrotechnical Commission (IEC).

Terminology and conventions. The text of the International Standard has been approved as suitable for publication as a British Standard without deviation. Some terminology and certain conventions are not identical with those used in British Standards; attention is drawn especially to the following. Wherever the words “This report” appear, referring to this standard, they should be read as “This guide”.

Cross-references

International Standard	Corresponding British Standard
IEC 71-1:1976	BS 5622 <i>Guide for insulation co-ordination</i> Part 1:1979 <i>Terms, definitions, principles and rules</i> (Identical)

The Technical Committee has reviewed the provisions of IEC Publications 141 and 517, to which reference is made in the text, and has decided that except for Table 1 in IEC 517:1986, they are acceptable for use in conjunction with this British Standard. Table IV of BS 6581:1985 is to be used in place of Table 1 in IEC 517:1986, reflecting a “B deviation” incorporated in BS 5524:1987, otherwise this British Standard is in agreement with CENELEC Harmonization Document 358 S2.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.