

Viscosity and viscometric fixed points of glass —

Part 8: Method for the determination of (dilatometric) transformation temperature

[ISO title: Glass — Viscosity and viscometric fixed points —
Part 8: Determination of (dilatometric) transformation
temperature]

UDC 666.11.01:532.13:[666.3.015.4:536.5;.002.2:620.181.428.4.05]:620.1:(083.71)

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Laboratory Apparatus Standards Committee (LBC/-) to Technical Committee LBC/8, upon which the following bodies were represented:

- British Glass Industry Research Association
- Glass Manufacturers' Federation
- Society of Glass Technology

This British Standard, having been prepared under the direction of the Laboratory Apparatus Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 January 1989

© BSI 01-2000

The following BSI references relate to the work on this standard:
Committee reference LBC/8
Draft for comment 86/51631 DC

ISBN 0 580 16907 3

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
0 Introduction	1
1 Scope	1
2 Field of application	1
3 References	1
4 Definition	1
5 Principle	1
6 Apparatus	1
7 Test specimen	2
8 Procedure	2
9 Expression of results	2
10 Test report	2
Figure 1 — Example of a dilatometer curve and the evaluation of transformation temperature (521 °C in this case) of a glass	3
Figure 2 — Example of the dilatometer curve of a glass in the annealed and in a quenched state	3
Publications referred to	Inside back cover

National foreword

This Part of BS 7034 has been prepared under the direction of the Laboratory Apparatus Standards Committee. It is identical with ISO 7884-8:1987 “Glass — Viscosity and viscometric fixed points — Part 8: Determination of (dilatometric) transformation temperature”, prepared by Subcommittee 5 of ISO/TC 48, Laboratory glassware and related apparatus, of the International Organization for Standardization (ISO), with the active participation and approval of the United Kingdom.

The other Parts of BS 7034 are as follows.

- *Part 1:1988, Recommendations for use in the determination of viscosity and viscometric fixed points.*
(identical with ISO 7884-1:1987)
- *Part 2:1988, Method for the determination of viscosity by rotation viscometers.*
(identical with ISO 7884-2:1987)
- *Part 3:1988, Method for the determination of viscosity by fibre elongation viscometer.*
(identical with ISO 7884-3:1987)
- *Part 4:1988, Method for the determination of viscosity by beam bending.*
(identical with ISO 7884-4:1987)
- *Part 5:1988, Method for the determination of working point by sinking bar viscometer.*
(identical with ISO 7884-5:1987)
- *Part 6:1988, Method for the determination of softening point.*
(identical with ISO 7884-6:1987)
- *Part 7:1988, Method for the determination of annealing point and strain point by beam bending.*
(identical with ISO 7884-7:1987)

Terminology and conventions. The text of the International Standard has been approved as suitable for publication as a British Standard without deviation. Some terminology and certain conventions are not identical with those used in British Standards; attention is drawn especially to the following.

The comma has been used as a decimal marker. In British Standards it is current practice to use a full point on the baseline as the decimal marker.

Wherever the words “part of ISO 7884” appear, referring to this standard, they should be read as “Part of BS 7034”.

Cross-references^a

International Standard	Corresponding British Standard
ISO 7991:1987	BS 7030:1988 <i>Method for determination of the coefficient of mean linear thermal expansion of glass</i> (Identical)

^a See also the second paragraph.

The Technical Committee has reviewed the provisions of IEC 584-1, to which reference is made in the text, and has decided that they are acceptable for use in conjunction with this standard. The reference in 6.4 is only an informative reference, but thermocouples complying with the following Parts of BS 4937 “International thermocouple reference tables” are suitable.

- *Part 3:1973, Iron/copper — nickel thermocouples. Type J.*
- *Part 4:1973, Nickel — chromium/nickel — aluminium thermocouples. Type K.*
- *Part 6:1974, Nickel-chromium/copper-nickel thermocouples. Type E.*