

Cross recessed machine screws —

**Part 2: Specification for countersunk
flat head screws of product grade A and
property class 4.8 only**

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the General Mechanical Engineering Standards Policy Committee (GME/-) to Technical Committee GME/9, upon which the following bodies were represented:

- BEAMA Ltd.
- British Constructional Steelwork Association Ltd.
- British Industrial Fasteners Federation
- British Railways Board
- British Steel Industry
- British Steel Industry (Wire Section)
- Gauge and Tool Makers' Association
- Ministry of Defence
- Society of Motor Manufacturers and Traders Limited
- Washer Manufacturers' Association of Great Britain

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

- British Furniture Manufacturers Federation
- British Independent Steel Producers' Association
- National Association of Fastener Stockholders

This British Standard, having been prepared under the direction of the General Mechanical Engineering Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 28 June 1991

© BSI 08-1999

The following BSI references relate to the work on this standard:
Committee reference GME/9
Draft for comment 90/77189 DC

ISBN 0 580 19527 9

Amendments issued since publication

Amd. No.	Date	Comments
8505	March 1995	Indicated by a sideline in the margin

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Dimensions	1
3 Characteristics	1
4 Designation for the purpose of an enquiry or order	1
Figure 1 — Dimensions of cross recessed countersunk flat head screws with recess type V	3
Table 1 — Dimensions and nominal lengths	2
Table 2 — Characteristics	3
Publications referred to	Inside back cover