

Rubber or plastics covered rollers —

Part 4: Requirements —

Section 4.1 Specification for apparent hardness

UDC 678.06:62-252:539.53

Confirmed November 2008

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Plastics and Rubber Standards Policy Committee (PRM/-) to Technical Committee PRM/73, upon which the following bodies were represented:

- British Rubber Manufacturers' Association Ltd.
- British Structural Bearings Manufacturers' Association
- Building Employers' Confederation
- Department of Transport
- Institution of Medical Laboratory Sciences
- Institution of Structural Engineers
- Malaysian Rubber Producers' Research Association
- Ministry of Defence
- Royal Society of Chemistry

This British Standard, having been prepared under the direction of the Plastics and Rubber Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 December 1992

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference PRM/73
Draft for comment 91/49702 DC

ISBN 0 580 21355 2

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 References	1
3 Definitions	1
4 Statement of hardness	1
5 Determination of hardness	1
6 Nominal hardness	2
7 Tolerance on nominal hardness of polymer within and between batches	2
8 Hardness variation in a single roller	3
9 Marking and information	3
Table 1 — Incremental units for nominal hardness	2
Table 2 — Deviations from specified nominal IRHD hardness	2
Table 3 — Deviations from specified nominal P and J indentation values	2
Table 4 — Maximum IRHD hardness variations within a single roller	3
Table 5 — Maximum P and J indentation variations within a single roller	3
List of references	Inside back cover