

Specification for

**Electrically operated
automatic gas shut-off
valves fitted with
throughput adjusters,
proof of closure
switches, closed
position indicator
switches or gas flow
control**

Confirmed
December 2011

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Gas Standards Policy Committee (GSE/-) to Technical Committee GSE/22, upon which the following bodies were represented:

- Association of Control Manufacturers — TACMA (BEAMA Ltd.)
- British Combustion Equipment Manufacturers' Association
- British Gas plc
- Chief and Assistant Chief Fire Officers' Association
- Department of Trade and Industry (Consumer Safety Unit, CA Division)
- Health and Safety Executive
- Liquefied Petroleum Gas Industry Technical Association (UK)
- Society of British Gas Industries

This British Standard, having been prepared under the direction of the Gas Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 30 September 1991

© BSI 02-1999

The following BSI references relate to the work on this standard:
Committee reference GSE/22
Draft for comment 91/75437 DC

ISBN 0 580 19830 8

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Definitions	1
3 Valves fitted with throughput adjusters	1
4 Valves fitted with proof of closure switches	1
5 Valves fitted with closed position indicator switches	2
6 Valves incorporating start-gas flow control and valves in which the flow rate may be varied electrically	2
Appendix A Test for valves fitted with throughput adjusters	4
Appendix B Test for valves fitted with proof of closure switches	4
Appendix C Test for valves fitted with closed position indicators	4
Appendix D Tests for valves incorporating start-gas flow control and in which the flow rate may be varied	4
Publication(s) referred to	Inside back cover