

BS 7533-9:2010



BSI Standards Publication

Pavements constructed with clay, natural stone or concrete pavers –

Part 9: Code of practice for the construction
of rigid pavements of clay pavers

bsi.

...making excellence a habit.
AVA Documents™
Document Sharing Hub

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2010

ISBN 978 0 580 70196 2

ICS 93.080.20

The following BSI references relate to the work on this standard:

Committee reference B/507

Draft for comment 08/30194108 DC

Publication history

First (present) publication, April 2010

Amendments issued since publication

Date	Text affected
------	---------------

Contents

Foreword *iii*

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Construction of base and restraints	2
5	Laying bedding mortar	3
6	Installation of paver surfaces	4
7	Joints	7
8	Step detailing	9
9	Care after laying	10

Annexes

Annex A (informative)	Laying patterns	11
-----------------------	-----------------	-----------

Bibliography	12
--------------	-----------

List of figures

Figure 1	– Typical cross-section of a pavement	2
Figure 2	– Typical example of movement joints	8
Figure 3	– Profile of a typical step	9
Figure A.1	– Laying patterns	11

List of tables

Table 1	– Minimum longitudinal falls and crossfall to avoid ponding	3
Table A.1	– Paver size suitability for different laying patterns	11

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 12, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 7533 is published by BSI and came into effect on 30 April 2010. It was prepared by Technical Committee B/507, *Paving units, kerbs, screeds and in-situ floorings*. A list of organizations represented on this committee can be obtained on request to its secretary.

Relationship with other publications

BS 7533 consists of the following parts:

- *Part 1: Guide for the structural design of heavy duty pavements constructed of clay pavers or precast concrete paving blocks;*
- *Part 2: Guide for the structural design of lightly trafficked pavements constructed of clay pavers or precast concrete paving blocks;*
- *Part 3: Code of practice for laying precast concrete paving blocks and clay pavers for flexible pavements;*
- *Part 4: Code of practice for the construction of pavements of precast concrete flags or natural stone slabs;*
- *Part 6: Code of practice for laying natural stone, precast concrete and clay kerb units;*
- *Part 7: Code of practice for the construction of pavements of natural stone paving units and cobbles, and rigid construction with concrete block paving;*
- *Part 8: Guide for the structural design of lightly trafficked pavements of precast concrete flags and natural stone flags;*
- *Part 9: Code of practice for the construction of rigid pavements of clay pavers;*
- *Part 10: Guide for the structural design of trafficked pavements constructed of natural stone setts and bound construction with concrete paving blocks;*
- *Part 11: Code of practice for the opening, maintenance and reinstatement of pavements of concrete, clay and natural stone;*
- *Part 12: Guide to the structural design of trafficked pavements constructed on a bound base using concrete paving flags and natural stone slabs;*
- *Part 13: Guide for the design of permeable pavements constructed with concrete paving blocks and flags, natural stone slabs and setts and clay pavers.*

Use of this document

As a code of practice, this part of BS 7533 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 7533 is expected to be able to justify any course of action that deviates from its recommendations.

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The word “should” is used to express recommendations of this standard. The word “may” is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the clause. The word “can” is used to express possibility, e.g. a consequence of an action or an event.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.