

Swaged collar grooved rivets

Part 2. Specification for sizes from 12.7 mm up to and including 34.9 mm

ICS 21.060.40

Confirmed
January 2010

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee FME/6, Rivets, upon which the following bodies were represented:

- British Friction Materials Council
- British Industrial Fasteners Federation
- British Steel Industry (Wire Section)
- Institution of Structural Engineers
- Ministry of Defence
- National Association of Fastener Stockholders
- Society of Motor Manufacturers and Traders Limited

This British Standard, having been prepared under the direction of the Engineering Sector Board, was published under the authority of the Standards Board and comes into effect on 15 June 1997

© BSI 1997

Amendments issued since publication

Amd. No.	Date	Text affected

The following BSI references relate to the work on this standard:
Committee reference FME/6
Draft for comment 96/709087 DC

ISBN 0 580 27154 4

Contents

Committees responsible	Page
Foreword	Inside front cover
Specification	ii
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Materials	1
5 Finishes	1
6 Dimensions	1
7 Performance	4
8 General	4
9 Designation for the purposes of an enquiry or order	4
Annex	
A (normative) Test methods to determine the shear loads and tensile loads of swaged collar grooved rivets	5
Tables	
1 Pin/collar material combinations	1
2 Dimensions of installed swaged collar grooved rivets	3
3 Shear and tensile loads	4
A.1 Diameter of holes for rivet tests	5
Figures	
1 Dimensions of installed swaged collar grooved rivets	2
A.1 Basic requirements for a test fixture for shear testing	6
A.2 Basic requirements for a test fixture for tensile testing	6
List of references	Inside back cover

Foreword

This Part of BS 7805 has been prepared by Technical Committee FME/6. It defines installed swaged collar grooved rivets by dimensions, materials of manufacture and performance for general engineering purposes.

BS 7805 : Part 1 : 1995 covers swaged collar grooved rivets up to and including 10 mm diameter.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.