

BS 7870-5:2011

Incorporating Corrigendum No. 1



BSI Standards Publication

LV and MV polymeric insulated cables for use by distribution and generation utilities

Part 5: Polymeric insulated aerial
bundled conductors (ABC) of rated
voltage 0.6/1 kV for overhead
distribution

(Implementation of HD 626)

bsi.

...making excellence a habit.
AVA Documents™
Document Sharing Hub

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2012

Published by BSI Standards Limited 2012

ISBN 978 0 580 78843 7

ICS 29.060.20

The following BSI references relate to the work on this standard:

Committee reference GEL/20/16

Draft for comment 11/30219798 DC

Publication history

First published January 1999

Second (present) edition, December 2011

Amendments issued since publication

Date	Text affected
------	---------------

August 2012	See foreword
-------------	--------------

Contents

Foreword *ii*

1	Scope	1
2	Normative references	1
3	Voltage designation	2
4	Conductors	2
5	Insulation	2
6	Identification of cores	3
7	Laying up	4
8	Manufacturer's identification	4
9	Testing	5
10	Routine tests	5
11	Sample tests	6
12	Type tests	8
13	Additional control or street lighting cores	9
14	Sealing and drumming	10

Annexes

Annex A (normative) Additional requirements for insulated control or street lighting cores 11

Annex B (informative) Guidance on type approval 11

Annex C (normative) Slippage test 12

Bibliography 14

List of figures

Figure 1 – Laying up sequence of four-core bundles 4

Figure C.1 – Clamping block for slippage test 12

Figure C.2 – Sample dimensions for slippage test 13

List of tables

Table 1 – Requirements for two, four and five-core bundles 3

Table 2 – Lay lengths 4

Table 3 – Schedule of tests 5

Table 4 – Minimum slippage loads for ABCs 7

Table 5 – Requirements for insulation material 9

Table C.1 – Thread core diameter of threaded insert 13

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 14, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 7870 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 December 2011. It was prepared by Subcommittee GEL/20/16, *Medium/High voltage cables*, under the authority of Technical Committee GEL/20, *Electric cables*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

This part of BS 7870 supersedes BS 7870-5:1999, which is withdrawn.

Relationship with other publications

BS 7870 implements the nationally applicable parts of Harmonization Documents HD 603, 605, 620, 626 and 627 published by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the decision of the CENELEC Technical Board.

BS 7870 applies to cables for fixed installations having a rated voltage U_0/U up to and including 19/33 kV, and is published as a series of separate parts and sections, as listed in the table in the foreword to BS 7870-1.

BS 7870-5 implements HD 626 S1 Part 4M, and is to be read in conjunction with BS 7870-1 and BS 7870-2.

Information about this document

This is a full revision of the standard and brings the standard up to date in accordance with current practice in the industry.

The start and finish of text introduced or altered by Corrigendum No. 1 is indicated in the text by tags [C1] and [C1].

A general guide to use for the types of cable specified in BS 7870 is given in BS 7870-1, Annex A.

Hazard warnings

WARNING. This British Standard calls for the use of substances and/or procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This part of BS 7870 specifies requirements for the construction, dimensions and mechanical and electrical properties of polymeric insulated aerial bundled conductors (ABCs) of rated voltage 0.6/1(1.2) kV, designed for a maximum continuous conductor operating temperature of 75 °C.

This part of BS 7870 specifies requirements for ABCs with the following:

- two, four or five-core construction;
- phase and neutral conductors of equal size and type;
- conductor sizes from 25 mm² up to and including 120 mm²;
- optional, insulated control or street lighting cores (see Annex A).

NOTE 1 The fifth core in the five-core bundle is designated as a protective conductor (protective core), i.e. a conductor used for some measure of protection against electric shock.

NOTE 2 Guidance on type approval is given in Annex B.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 2627, *Specification for wrought aluminium for electrical purposes – Wire*

BS 7870-1, *LV and MV polymeric insulated cables for use by distribution and generation utilities – Part 1: General*

BS 7870-2, *LV and MV polymeric insulated cables for use by distribution and generation utilities – Part 2: Methods of test*

BS EN 50182:2001, *Conductors for overhead lines – Round wire concentric lay stranded conductors*

BS EN 60228, *Conductors of insulated cables*

BS EN 60811-1-1, *Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-1: General application Measurement of thickness and overall dimensions – Tests for determining the mechanical properties*

BS EN 60811-1-2, *Common test methods for insulating and sheathing materials of electric and optical cables – Part 1-2: General application – Thermal ageing methods*

BS EN 60811-1-3, *Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-3: General application – Methods for determining the density – Water absorption tests – Shrinkage test*

BS EN 60811-2-1, *Insulating and sheathing materials of electric and optical cables – Common test methods – Part 2-1: Methods specific to elastomeric compounds – Ozone resistance, hot set and mineral oil immersion tests*

BS EN 60811-3-1, *Insulating and sheathing materials of electric cables – Common test methods – Part 3: Methods specific to PVC compounds – Section 3-1: Pressure test at high temperature – Tests for resistance to cracking*