

Terminal markings for electrical machinery and apparatus

Part 6: Lead colours for rotating electrical machinery

ICS 01.070; 29.160.01

Confirmed January 2010

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee PEL/2, Rotating electrical machinery, upon which the following bodies were represented:

- Association of Consulting Engineers
- Association of Electrical and Mechanical Trades
- Association of Manufacturers of Power Generating Systems
- Electrical Insulation Association
- Electricity Association
- GAMBICA Association Limited
- Institution of Incorporated Executive Engineers
- Ministry of Defence – UK Defence Standardization
- Rotating Electrical Machines Association (BEAMA Ltd.)
- Society of Operations Engineers
- UK Offshore Operators Association Limited

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 19 April 2004

© BSI 19 April 2004

First published as part of BS 822 December 1938
Second edition as BS 822-6 May 1964
Third edition April 2004

The following BSI reference relates to the work on this British Standard:
Committee reference PEL/2

Amendments issued since publication

Amd. No.	Date	Comments

ISBN 0 580 43584 9

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 A.C. generators and motors	1
3 D.C. generators and motors	2
Bibliography	7
Figure 1 — Single-phase winding, both ends of phase winding and auxiliary winding brought out	3
Figure 2 — Permanently-connected single-phase main and auxiliary windings	3
Figure 3 — Two-terminal, single-phase machine	3
Figure 4 — Three-phase winding, permanently delta-connected	4
Figure 5 — Three-phase winding, permanently star-connected	4
Figure 6 — Three-phase winding, both ends of each phase brought out	4
Figure 7 — Armature, shunt and series windings	5
Figure 8 — Armature, shunt, series and compole windings	5
Figure 9 — Two lead d.c. machine	5

Foreword

This part of BS 822 has been prepared by Technical Committee PEL/2. Together with BS EN 60034-8:2002, it supersedes BS 822-6:1964 which is withdrawn.

The 1964 edition of BS 822-6 gave terminal markings and loose lead colours to be used in small-power rotating electrical machines. BS EN 60034-8:2002 now specifies terminal markings for all rotating electrical machines. Consequently, in this new edition of BS 822-6 all text relating to terminal marking has been deleted and only the colour code for loose lead identification has been retained.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 7 and a back cover.

The BSI copyright notice displayed throughout this document indicates when the document was last issued.