

Blank detail specification for

Radio interference suppression filters of assessed quality basic and full assessment levels

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 14, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date of issue	Comments
7548	June 1993	Indicated by a sideline in the margin

Contents

	Page
1 Scope	1
2 Additional test requirements	1
3 Detail specification	1
Table 1 — Group A Inspection	4
Table 2 — Group B Inspection	5
Table 3 — Group C Assessment	6
Table 4 — Group D Inspection	9
Publications referred to	Inside back cover

1 Scope

This standard lists the ratings, characteristics, inspection requirements and additional information for radio interference suppression filters of the stated assessment level which are to be included as minimum mandatory requirements in the detail specification, together with supplementary tests which may be called up at the discretion of the specification writer to meet particular circumstances. It is a blank detail specification for radio interference suppression filters relating to BS 9120:1988 “*Specification for radio interference suppression filters of assessed quality: generic data and methods of test*”, in the BS 9000 series.

2 Additional test requirements

Detail specifications written in compliance with this blank detail specification shall not specify requirements inferior to those of the generic specification. However the specification writer may include greater severities and/or extra test requirements. In either case the additional requirements shall be indicated in the assessment level by, for example “FULL plus additional requirements”.

3 Detail specification

The blank detail specification which follows, when completed as indicated, will form the detail specification.

Key

The numbers between square brackets correspond to the following indications which should be given:

Identification of the detail specification (DS)

- [1] Name and address of the British Standards Institution.
- [2] The number allocated by BSI Milton Keynes.
- [3] The manufacturer may add his name and address.
- [4] The number and date of the generic specification.

Identification of the filter

- [5] A short description of the type of filter.
- [6] Information on typical construction (where applicable).
- [7] Outline drawing with main dimensions which are of importance for interchangeability and/or reference to the relevant documents for outlines. Alternatively, this drawing may be given in an appendix to the detail specification.
- [8] Application or group of applications covered, or, preferably, the level of quality assessment covered by the detail specification.
- [9] Reference data on the most important properties, to allow comparison between the various filter types.

BRITISH STANDARDS INSTITUTION [1] 2 PARK STREET LONDON W1A 2BS	[2] BS 9121 000X	
Specification available from: [3] AS SHOWN IN PD 9002 AND	ISSUE	DATE
ELECTRONIC COMPONENTS OF ASSESSED [4] QUALITY DETAIL SPECIFICATION IN ACCORDANCE WITH BS 9120:1988	MANUFACTURER'S TYPE [5] NUMBER SEE PD 9002 For ordering information see clause 6	
Outline and dimensions. Third angle [7] projection (Where necessary the dimensions may be given in an appendix to the detail specification) All dimensions are in millimetres	DESCRIPTION [6]	
	ASSESSMENT LEVEL [8]	

[9]

Refer to Qualified Products List PD 9002 for details of manufacturers approved to this specification.