

CONFIRMED
DECEMBER 2007

Electronic components of assessed quality: Radio frequency connector type smc, unsealed, soldered, captive contact, 50 Ω , (screw couplings) — Full assessment level —

Part 2: Control drawings —
Mating face details and gauge
information

UDC 621.315.683

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Figure 1 — Mating face details Male centre contact (XX-02 Styles)	2
Figure 2 — Mating face details — Female centre contact (XX-03 Styles)	3
Figure 3 — Compatibility gauge information to inspect mating face of connectors with Male centre contact (XX-02 Styles)	4
Figure 4 — Compatibility gauge information to inspect mating face of connectors with Female centre contact (XX-03 Styles)	5
Figure 5 — Sizing and retention gauges for SMC connectors — Resilient contacts	6

