

Methods of test for motor vehicle paints —

Part 6: Hardness

UDC 629.113;667.613:620.178

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Foreword

This Part of this British Standard has been prepared under the authority of the Automobile Industry Standards Committee and in based on Information Sheet No. 143 of the Society of Motor Manufacturers and Traders Ltd. (SMMT).

Tests for paints for general purposes are given in BS 3900¹⁾ and, wherever possible, reference to that standard has been made.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 4 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been approved by the Automobile Industry Standards Committee, was published under the authority of the Executive Board of the Institution on 31 March 1969

© BSI 02-2000

The following BSI reference relates to the work on this standard
Committee reference AUE/-

ISBN 0 580 05268 0

¹⁾ BS 3900, “*Methods of test for paints*”,
Part A3, “*Preparation of panels prior to painting*”.
Part A4, “*Notes for guidance on paint application*”.

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Foreword	Inside front cover
1 Scope	1
2 Test panels	1
3 Pencil method	1
4 Persoz pendulum method	1
5 Wallace micro-hardness test	1
6 Diamond pyramid micro-hardness test	2
Appendix A H.P. (Hardness, Paint) Numbers pyramidal diamond load 15.00 g objective 16 mm	3
Figure 1 — Diamond pyramid hardness tester	4