

Method of evaluating surface and material flaws of disc brake pads after testing

[ISO title: Road vehicles — Brake linings — Disc brake pads —
Evaluation of surface and material flaws after testing]

UDC 629.11 – 597.6:620.1:[001.818 + .004.64]

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Automobile Standards Committee (AUE/-) to Technical Committee AUE/11, upon which the following bodies were represented:

- Automobile Association
- British Fluid Power Association
- British Friction Materials Council
- Department of Transport
- Freight Transport Association
- London Transport Executive
- Motor Industry Research Association
- National Caravan Council Ltd.
- Society of Motor Manufacturers and Traders
- Transport and General Workers Union

This British Standard, having been prepared under the direction of the Automobile Standards Committee, was published under the authority of the Board of BSI and comes into effect on 29 January 1988

© BSI 02-2000

The following BSI references relate to the work on this standard:
Committee reference AUE/11
Draft for comment 84/78305 DC

ISBN 0 580 16361 X

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
0 Introduction	1
1 Scope and field of application	1
2 Identification of defects	1
3 Measuring equipment	1
4 Measurement method	1
5 Expression of results	1
Figure 1 — Example of crack (type I flaw)	2
Figure 2 — Example of edge flaking (type II flaw)	2
Figure 3 — Example of blistering or pitting (type III flaw)	3
Figure 4 — Example of lining separation from support and material lamina separation (type IV flaw)	3
Figure 5 — Centring of the grid	4