

Specification for

# Towing hook for use between trailers of 5–35 tons gross weight and towing vehicle

UDC 629.11.013.5:629.013.81

Confirmed  
January 2011

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

**BSI**  
Documents

AVA

Document Sharing Hub

This British Standard, having been approved by the Automobile Industry Standards Committee and endorsed by the Chairman of the Engineering Divisional Council, was published under the authority of the General Council of the Institution on 15 June 1964

© BSI 02-2000

The following BSI reference relates to the work on this standard:  
Committee reference AUE/-

ISBN 0 580 34550 5

Amendments issued since publication

| Amd. No. | Date | Comments |
|----------|------|----------|
|          |      |          |
|          |      |          |
|          |      |          |
|          |      |          |
|          |      |          |

# Contents

|                                                 | Page |
|-------------------------------------------------|------|
| Foreword                                        | ii   |
| 1 Scope                                         | 1    |
| 2 Materials                                     | 1    |
| 3 Dimensions                                    | 1    |
| 4 Design                                        | 1    |
| 5 Mounting                                      | 1    |
| 6 Marking                                       | 1    |
| Figure 1 — Towing hook, indicating safety catch | 2    |
| Figure 2 — Towing hook                          | 3    |