

Tyres and wheels —

Part 1: Tyres —

Section 4: Agricultural tractor and machine tyres —

Subsection 4.7 Specification for marking, dimensions, load ratings and reference speeds for service description marked tyres for agricultural tractor drive wheels

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Automobile Standards Policy Committee (AUE/-) to Technical Committee AUE/4, upon which the following bodies were represented:

- Agricultural Engineers' Association
- Automobile Association
- British Industrial Truck Association
- British Pressure Gauge Manufacturers' Association
- British Rubber Manufacturers' Association
- Bus and Coach Council
- Department of Transport
- Freight Transport Association
- Institute of Road Transport Engineers (Inc)
- Motor Cycle Industry's Association of Great Britain Ltd.
- Motor Industry Research Association
- National Tyre Distributors' Association
- Retread Manufacturers' Association
- Road Haulage Association Ltd.
- Society of Motor Manufacturers and Traders Ltd.

This British Standard, having been prepared under the direction of the Automobile Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 May 1993

© BSI 11-1999

The following BSI references relate to the work on this standard:
Committee reference AUE/4
Draft for comment 86/78485 DC

ISBN 0 580 21815 5

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Tyre marking	1
5 Tyre dimensions	1
6 Tyre load ratings	1
7 Tyre applications other than at reference speed	1
8 Tyre application on combine harvesters	3
Annex A (normative) Load index and tyre load for tyres with reference inflation pressure 160 kPa	4
Annex B (informative) Tyres with reference inflation pressures 120 kPa and 210 kPa	5
Table 1 — Standard sizes, measurement rims, and dimensions	2
Table 2 — Load/speed relationship	3
Table A.1 — Load per tyre at reference speed and inflation pressure	4
Table B.1 — Load per tyre at reference speed and inflation pressure	5
List of references	Inside back cover

National foreword

This Subsection of this Part of BS AU 50, prepared under the direction of the Automobile Standards Policy Committee, is identical with ISO 8664:1992 *Agricultural tractor drive-wheel tyres — Service description (load index-speed symbol) marked tyres*, published by the International Organization for Standardization (ISO).

BS AU 50 is issued in four Parts:

- *Part 1: Tyres;*
- *Part 2: Wheels and rims;*
- *Part 3: Valves;*
- *Part 4: Rim profiles and dimensions.*

Cross-references

International Standard	Corresponding British Standard
	BS AU 50 <i>Tyres and wheels</i>
ISO 4251-1:1992	Part 1 <i>Tyres</i> Subsection 4.1a:1993 <i>Specification for designations and dimensions for ply-rating marked series tyres</i> (Identical)
ISO 4251-3:1985	Part 4 <i>Rim profiles and dimensions</i> Subsection 4.1:1991 <i>Specification for existing (inch) series rims</i> (Identical)

The Technical Committee has reviewed the provisions of ISO 4223-1:1989 to which normative reference is made in the text, and has decided that they are acceptable for use in conjunction with this standard.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.