

Tyres and wheels —

Part 1: Tyres —

Section 6: Motorcycle tyres —

Subsection 6.3a Specification for designations, dimensions and load ratings for code designated series (diameter codes 4 to 12) tyres

ICS 83.160.10

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee AUE/4, Tyres and wheels for motor vehicles, upon which the following bodies were represented:

- Agricultural Engineers' Association
- Automobile Association
- British Industrial Truck Association
- British Pressure Gauge Manufacturers' Association
- British Rubber Manufacturers' Association
- Confederation of Passenger Transport UK
- Department of Transport
- Freight Transport Association
- Institute of Road Transport Engineers (Inc)
- Motor Cycle Industry's Association of Great Britain Ltd.
- Motor Industry Research Association
- National Tyre Distributors' Association
- Retread Manufacturers' Association
- Road Haulage Association Ltd.
- Society of Motor Manufacturers and Traders Ltd.

This British Standard, having been prepared under the direction of the Engineering Sector Board, was published under the authority of the Standards Board and comes into effect on 15 December 1995

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference AUE/4
Draft for comment 92/82582 DC

ISBN 0 580 24917 4

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
1 Scope	1
2 Normative reference	1
3 Definitions	1
4 Tyre designation	1
5 Tyre dimensions	1
6 Method of measurement of tyre dimensions	2
7 Load capacities and inflation pressures	4
Annex A (informative) Bibliography	6
Table 1 — Nominal rim diameter code	1
Table 2 — Section height	1
Table 3 — Tyre dimensions for nominal rim diameter codes 4, 5, 6 and 7 — Design and in-service	2
Table 4 — Tyre dimensions for nominal rim diameter codes 8, 9, 10 and 12 — Design and in-service	3
Table 5 — Maximum tyre load ratings and inflation pressures — Nominal rim diameter codes 4, 5, 6 and 7	4
Table 6 — Maximum tyre load ratings and inflation pressures — Nominal rim diameter codes 8, 9, 10 and 12	4
Table 7 — Percentage overload at other maximum speeds	5
List of references	Inside back cover

National foreword

This Subsection of this Part of BS AU 50 has been prepared by Technical Committee AUE/4 and is identical to ISO 6054-1:1994 *Motorcycle tyres and rims (code-designated series) — Diameter codes 4 to 12 — Part 1: Tyres*, published by the International Organization for Standardization (ISO).

BS AU 50-1.6.3a supersedes BS AU 50-1.6.3:1991 which is withdrawn.

Other Parts of the Standard are:

- *Part 2: Wheels and rims;*
- *Part 3: Valves;*
- *Part 4: Rim profiles and dimensions.*

Cross-reference

The Technical Committee has reviewed the provisions of ISO 4223-1, to which normative reference is made in the text, and has decided that they are acceptable for use in conjunction with this standard.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.