

Protection of metallic materials against corrosion — Corrosion likelihood in atmospheric environment — Classification, determination and estimation of corrosivity of atmospheric environments

The European Standard EN 12500:2000 has the status of a British Standard

ICS 77.060

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard is the official English language version of EN 12500:2000.

The UK participation in its preparation was entrusted to Technical Committee ISE/NFE/8, Corrosion of metals and alloys, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 16, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 August 2000

© BSI 08-2000

ISBN 0 580 36002 4

Amendments issued since publication

Amd. No.	Date	Comments

English version

Protection of metallic materials against corrosion — Corrosion
likelihood in atmospheric environment — Classification,
determination and estimation of corrosivity of atmospheric
environments

Protection des matériaux métalliques contre la corrosion —
Risque de corrosion dans un environnement atmosphérique
— Classification, détermination et appréciation de la
corrosité des environnements atmosphériques

Korrosionsschutz metallischer Werkstoffe —
Korrosionswahrscheinlichkeit in einer atmosphärischen
Umgebung — Einteilung, Bestimmung und Abschätzung
der Korrosivität von atmosphärischen Umgebungen

This European Standard was approved by CEN on 12 May 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents

Introduction	4
1 Scope.....	5
2 Normative references	5
3 Terms and definitions.....	5
3.1 Corrosivity	5
3.2 Corrosion likelihood	6
3.3 Type of atmospheric environment	6
3.4 Category of location	6
3.5 Time of wetness	6
4 Classification of corrosivity of atmospheric environments	6
5 Determination of corrosivity categories	6
6 Estimation of corrosivity categories	7
6.1 General	7
6.2 Climatic influences.....	8
6.3 Types of atmospheric environment	8
6.4 Categories of location	8
6.4.1 General	8
6.4.2 Outdoor atmosphere.....	8
6.4.3 Indoor atmosphere.....	8
Annex A (normative) Description of standard specimens and exposure conditions for determination of corrosivity categories	9
Annex B (normative) Chemical cleaning procedures for removal of corrosion products (in accordance with ISO 9226)	11
Annex C (informative) Correspondence between the mass loss per unit surface area and the thickness loss after 1 year exposure for the corrosivity categories.....	12
Annex D (informative) Calculated time of wetness and selected climatological characteristics of the macroclimatic zones of the earth.....	13
Annex E (informative) Description of typical atmospheric environments related to the estimation of corrosivity categories.....	14
Bibliography	16

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 262, Metallic and other inorganic coatings, the Secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2000, and conflicting national standards shall be withdrawn at the latest by December 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

Metals, alloys and metallic coatings can suffer atmospheric corrosion when their surfaces are wetted. The nature and the rate of corrosion effect depend on the corrosion system, which comprises:

- the metallic material(s);
- the atmospheric environment (characterized by time of wetness and the chemical composition of the electrolyte formed on the metallic surface influenced by type and level of air pollution);
- technical parameters (design, profile and mass, manufacture, joining techniques, etc.);
- operation conditions.

The choice of metals, alloys or metallic coatings, and the corrosion resistance of the manufactured products are influenced by the required service life and service conditions, as well as by the corrosivity of the atmosphere.

A classification system for corrosivity of atmospheric environments should be simple and user friendly. This European Standard is based on a quantitative determination of corrosivity (see ISO 9223). When experimental data are unavailable, a qualitative estimation of corrosivity categories is possible. However, a qualitative description of an atmospheric environment can give rise to serious problems because identically described atmospheric environments can cover a wide range of corrosivity. Therefore the determination of corrosivity based on exposure of standard specimens of reference metals is strongly recommended.

This European Standard should be considered a basis document because it does not take into account other technical parameters and operation conditions.