

Packaging — Cork mouth finish with a bore diameter of 18,5 mm for corks and tamper evident capsules

The European Standard EN 12726:2000 has the status of a
British Standard

ICS 55.100

National foreword

This British Standard is the official English language version of EN 12726:2000.

The UK participation in its preparation was entrusted by Technical Committee PKW/2, Primary packaging, to Subcommittee PKW/2/1, Glass packaging, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Additional information

Attention is drawn to the fact that in this standard the entry bore is specified at approximately 3 mm below the top of the cork mouth finish (see 5.1) and the minimum through bore is specified as 17,5 mm (see 5.7).

There is also an additional bore at 45 mm below the top of the cork mouth finish (see Figure 1). This is used as a target for glass manufacturers and is intended to assist optimum closure performance.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 6, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Consumer Products and Services Sector Committee for, was published under the authority of the Standards Committee and comes into effect on 16 November 2001

© BSI 16 November 2001

ISBN 0 580 34969 1

Amendments issued since publication

Amd. No.	Date	Comments
13440 Corr. No. 1	16 November 2001	Additional wording added to the national foreword

English version

**Packaging - Cork mouth finish with a bore diameter of 18,5mm
for corks and tamper evident capsules**

Emballage - Bague plate ayant un diamètre d'entrée de
18,5 mm pour bouchage liège et capsule témoin
d'effraction

Packmittel - Bandmundstück mit einem
Eingangsdurchmesser von 18,5 mm für Naturkorken und
Kapseln als Originalitätssicherung

This European Standard was approved by CEN on 3 May 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels