BS EN 13936:2014

BSI Standards Publication

Workplace exposure — Procedures for measuring a chemical agent present as a mixture of airborne particles and vapour — Requirements and test methods

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: BS EN 13936:2014

National foreword

This British Standard is the UK implementation of EN 13936:2014.

The UK participation in its preparation was entrusted to Technical Committee EH/2/2, Work place atmospheres.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 78057 8

ICS 13.040.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2014.

Amendments issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS EN 13936:2014

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 13936

January 2014

ICS 13.040.30

English Version

Workplace exposure - Procedures for measuring a chemical agent present as a mixture of airborne particles and vapour - Requirements and test methods

Exposition sur les lieux de travail - Mesurage de l'agent chimique sous forme de mélange de particules aériennes et de vapeur - Exigences et méthodes d'essai

Exposition am Arbeitsplatz - Messung eines als Mischung aus luftgetragenen Partikeln und Dampf vorliegenden chemischen Arbeitsstoffes - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 30 November 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2014 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 13936:2014 E

Documents
Document Sharing Hub

Full document details: BS EN 13936:2014

Contents

Page

Foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Requirements 7
4.1 General 7
4.2 Sampler requirements 7
4.3 Pumps 7
4.4 Measurement procedure requirements for mixtures of airborne particles and vapour 7
4.4.1 Storage test 7
4.4.2 Expanded uncertainty 7
4.4.3 Method description 7

5 Test methods 8
5.1 Sample distribution between the collection substrate for airborne particles and the collection substrate for vapour 8
5.2 Compliance with EN 1076 9
5.3 Storage 9
5.4 Uncertainty of the measurement 10
5.4.1 Calculation of the combined standard uncertainty 10
5.4.2 Calculation of the expanded uncertainty 10

6 Test report 10

Annex A (informative) Possible approaches to sample mixtures of airborne particles and vapour 11

A.1 General 11

A.2 Filter plus pumped sorbent tube 11

A.2.1 General 11

A.2.2 Sampling flow rate 11

A.3 Reagent-impregnated sampling system 12

A.4 Transport and storage 12

Annex B (informative) Physical behaviour of a mixture of airborne particles and vapour 13

B.1 Generation of a mixture of airborne particles and vapour 13

B.2 Sampling of chemical agents having a vapour pressure of more than 100 Pa at room temperature (process temperature) 13

B.3 Sampling of chemical agents having a vapour pressure of more than 0,001 Pa and less than or equal to 100 Pa at room temperature 13

B.4 Sampling of chemical agents having a vapour pressure of less than 0,001 Pa at room temperature 15

Annex C (informative) Estimation of uncertainty of measurement 16

C.1 Uncertainty components 16

C.2 Two collection substrates for airborne particles and vapour 16

Documents
Document Sharing Hub

Full document details: BS EN 13936:2014

C.2.1 Sampled air volume and sampling efficiency 16
C.2.2 Sample storage 16
C.2.3 Effects of temperature and humidity 16
C.2.4 Analysis 17
C.2.5 Bias of sample distribution between the collection substrate for airborne particles and the collection substrate for vapour (distribution bias) 17
C.2.6 Calculation of the relative combined uncertainty 17
C.2.6.1 Samples analysed separately 17
C.2.6.1.1 General 17
C.2.6.1.2 Same sampling volume for airborne particles and vapour 18
C.2.6.1.3 Different sampling volumes for airborne particles and vapour 18
C.2.6.1.4 Airborne particles or vapour collection substrate not analysed 19
C.2.6.2 Samples analysed together 19
C.3 One collection substrate for airborne particles and vapour 19
C.3.1 General 19
C.3.2 Sampling 19
C.3.3 Analysis 19
C.3.4 Calculation of the relative combined standard uncertainty 20
Bibliography 21

Documents
Document Sharing Hub
Full document details: BS EN 13936:2014

Foreword

This document (EN 13936:2014) has been prepared by Technical Committee CEN/TC 137 “Assessment of workplace exposure to chemical and biological agents”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Documents
Document Sharing Hub
Full document details: BS EN 13936:2014

Introduction

EN 482 specifies general requirements for the performance of procedures that methods for the measurement of the concentration of chemical agents in workplace atmospheres should meet. These performance criteria include maximum values of expanded uncertainty achievable under prescribed laboratory conditions for the methods to be used. Chemical agents in workplace air are often present in both gaseous and non-gaseous phases at the same time and therefore validated methods are required that can measure the combined concentration of the chemical agent in both phases. Examples include: processes that generate aerosols of volatile or semi-volatile liquids or solids such a paint spraying, metalworking with coolants and lubricants, acid pickling etc. and hot processes which generate vapours of chemical agents that are normally in the liquid or solid phase under ambient conditions, e.g. road surfacing with bitumen.

For health-related sampling of mixed-phase aerosols, it is necessary to measure the mass concentration of the inhalable fraction of hazardous chemical agents, regardless of whether they are present as airborne particles or vapour. This generally means drawing air through two or more collection media in series. If a chemical agent is collected in the form of airborne particles and it has a significant vapour pressure under ambient conditions, it will wholly or partly volatilise during sampling. Subsequently the resulting vapour needs to be collected so that the total mass of the chemical agent can be measured; the chemical agent can also be lost from the collected airborne particles after sampling if it is not stabilised.

In some cases, it might also be necessary to measure the distribution of chemical agents between the particulate and vapour phases as well as the mass concentration of the inhalable fraction. For example, there can be compounds whose toxicology is known to differ significantly depending on whether they exist as airborne particles or vapour. In addition, control measures in the workplace can depend on which phase dominates. Exposure limits can be phase-specific. However, the separate quantification of airborne particles and vapour is technically complex and subject to error using existing sampling technologies. For this reason, this European Standard is not applicable to methods that differentiate between the sampled airborne particles and vapour.

Documents
Document Sharing Hub
Full document details: BS EN 13936:2014

1 Scope

This European Standard specifies performance requirements and test methods for the evaluation of procedures for measuring a chemical agent present as a mixture of airborne particles and vapour in workplace air.

This European Standard establishes general principles to enable developers and users of mixed-phase samplers and methods to adopt a consistent approach to method validation and provides a framework for the assessment of method performance in accordance with EN 482.

Annex A of this European Standard gives guidance on possible approaches to sample mixtures of airborne particles and vapour and Annex B gives information about their physical behaviour.

This European Standard is not applicable to methods that differentiate between the sampled airborne particles and vapour.

This European Standard is not applicable to a chemical agent present in different chemical and physical forms (for example, mercury in the form of Hg (0) and Hg (II)).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 481, *Workplace atmospheres - Size fraction definitions for measurement of airborne particles*

EN 482, *Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents*

EN 1076, *Workplace exposure - Procedures for measuring gases and vapours using pumped samplers - Requirements and test methods*

EN 1540:2011, *Workplace exposure - Terminology*

prEN 13205-1[1], *Workplace exposure — Assessment of sampler performance for measurement of airborne particle concentrations — Part 1: General requirements*

EN 13890, *Workplace exposure - Procedures for measuring metals and metalloids in airborne particles - Requirements and test methods*

EN ISO 13137, *Workplace atmospheres - Pumps for personal sampling of chemical and biological agents - Requirements and test methods (ISO 13137)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1540:2011 and the following apply.

3.1
single component aerosol
aerosol in which the airborne particles and vapour are composed of the same chemical agent

[1] To be published.

Documents
Document Sharing Hub
Full document details: BS EN 13936:2014

3.2
multiple component aerosol
aerosol containing more than one chemical agent, each of which can be present in the form of airborne particles and/or vapour

3.3
vapour sampler
pumped sampler or diffusive sampler that is used to collect vapour

4 Requirements

4.1 General

Regardless of the combination of samplers used, the measurement procedure used shall comply with the requirements of EN 482 and with the requirements of EN 1076, EN ISO 13137, prEN 13205-1 and EN 13890, as appropriate.

It is the responsibility of the manufacturer or of those who assemble mixed-phase samplers to ensure that the method complies with the requirements for expanded uncertainty under the specified laboratory conditions given in this document, including the environmental influences that can be expected to affect performance.

4.2 Sampler requirements

Measurement procedures shall specify the use of a mixed-phase sampler designed to collect the inhalable fraction of airborne particles, as defined in EN 481, and vapours. The sampler shall comply with prEN 13205-1 and with the performance requirements for pumped samplers prescribed in EN 1076.

The back pressure of the mixed-phase sampler shall not exceed the maximum values specified in EN ISO 13137.

A mixed-phase sampler may comprise of an inhalable sampler in combination with one or more vapour samplers. In such circumstances, the dead volume of the sampling train shall be kept to a minimum and any connection shall be made of an inert material that does not retain the chemical agent of interest.

NOTE When a mixed-phase sampler comprises a vapour sampler in combination with an inhalable sampler and there are flow rate compatibility issues, it is possible to split the air flow from the inhalable sampler through more than one vapour sampler.

4.3 Pumps

Measurement procedures shall specify the use of pumps complying with EN ISO 13137.

4.4 Measurement procedure requirements for mixtures of airborne particles and vapour

4.4.1 Storage test

When tested in accordance with the procedure prescribed in 5.3, the mean analytical recovery after storage shall be at least 90 %.

4.4.2 Expanded uncertainty

The expanded uncertainty of the measurement procedure as a whole, including the measurement of airborne particles and vapour, shall comply with the requirements of EN 482.

4.4.3 Method description

The method description shall contain at least the following information:

Documents
Document Sharing Hub
Full document details: BS EN 13936:2014