BRITISH STANDARD

BS EN 2346-004:2006

Aerospace series — Cable, electrical, fire resistant — Operating temperatures between –65 °C and 260 °C —

Part 004: DN family, single UV laser printable and multicore assembly — Light weight — Product standard

The European Standard EN 2346-004:2006 has the status of a British Standard

ICS 49.060

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI Documents
Document Sharing Hub
British Standards

Full document details: BS EN 2346-004:2006

National foreword

This British Standard was published by BSI. It is the UK implementation of EN 2346-004:2006.

The UK participation in its preparation was entrusted by Technical Committee ACE/6, Aerospace avionic electrical and fibre optic technology, to Subcommittee ACE/6/-/2, Aerospace — Cables.

A list of organizations represented on ACE/6/-/2 can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2006

© BSI 2006

ISBN 0 580 49421 7

Amendments issued since publication

Amd. No.	Date	Comments

Documents
Document Sharing Hub

Full document details: BS EN 2346-004:2006

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 2346-004

June 2006

ICS 49.060

English Version

Aerospace series - Cable, electrical, fire resistant - Operating temperatures between - 65 °C and 260 °C - Part 004: DN family, single UV laser printable and multicore assembly - Light weight - Product standard

Série aérospatiale - Câbles électriques résistant au feu - Températures de fonctionnement comprises entre - 65 °C et 260 °C - Partie 004 : Famille DN, fil simple marquable au laser UV et éléments assemblés - Version allégée - Norme de produit

Luft- und Raumfahrt - Feuerbeständige elektrische Leitungen - Betriebstemperaturen zwischen - 65 °C und 260 °C - Teil 004: DN-Familie, ein-und mehradrige Leitungen UV-laser bedruckbar - Gewichtsoptimiert - Produktnorm

This European Standard was approved by CEN on 3 February 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2006 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 2346-004:2006: E

Documents
Document Sharing Hub

Full document details: BS EN 2346-004:2006

Contents

Page

Foreword 3
1 Scope 4
2 Normative references 4
3 Terms and definitions 4
4 Materials and construction 4
5 Required characteristics 5
6 Tests 6
7 Quality assurance 8
8 Designation 8
9 Identification and marking 8
10 Packaging, labelling and delivery lengths 8
11 Technical specification 8

Documents
Document Sharing Hub

Full document details: BS EN 2346-004:2006