BRITISH STANDARD

BS EN 2714-010:2006

Aerospace series — Cables, electrical, single and multicore for general purpose — Operating temperatures between –55 °C and 260 °C —

Part 010: Screened (braided) and jacketed, YAG X3 laser printable — Product standard

The European Standard EN 2714-010:2006 has the status of a British Standard

ICS 49.060

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI Documents
Document Sharing Hub
British Standards

Full document details: BS EN 2714-010:2006

National foreword

This British Standard was published by BSI. It is the UK implementation of EN 2714-010:2006.

The UK participation in its preparation was entrusted by Technical Committee ACE/6, Aerospace avionic electrical and fibre optic technology, to Subcommittee ACE/6/-/2, Aerospace — Cables.

A list of organizations represented on ACE/6/-/2 can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2006

© BSI 2006

ISBN 0 580 49426 8

Amendments issued since publication

Amd. No.	Date	Comments

Documents
Document Sharing Hub

Full document details: BS EN 2714-010:2006

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 2714-010

August 2006

ICS 49.060

English Version

Aerospace series - Cables, electrical, single and multicore for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 010: Screened (braided) and jacketed, YAG X3 laser printable - Product standard

Série aérospatiale - Câbles, électriques, mono et multiconducteurs d'usage général - Températures de fonctionnement comprises entre - 55 °C et 260 °C - Partie 010 : Blindés (tressés) et gainés, marquables au laser YAG X3 - Norme de produit

Luft- und Raumfahrt - Leitungen, elektrisch, ein- und mehradrig, für allgemeine Verwendung - Betriebstemperaturen zwischen - 55 °C und 260 °C - Teil 010: Geschirmt (Umflechtung) und ummantelt, YAG X3 Laser bedruckbar - Produktnorm

This European Standard was approved by CEN on 19 May 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2006 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 2714-010:2006: E

Documents
Document Sharing Hub

Full document details: BS EN 2714-010:2006

Contents

Page

Foreword 3
1 Scope 4
2 Normative references 4
3 Terms and definitions 4
4 Materials and construction 5
5 Required characteristics 7
6 Quality assurance 8
7 Designation 8
8 Identification and marking 9
9 Packaging, labelling and delivery lengths 9
10 Technical specification 9

Documents
Document Sharing Hub

Full document details: BS EN 2714-010:2006