

Cables, electrical, single and multicore for general purpose — Operating temperatures between –55 °C and 260 °C —

**Part 012: DM family, screened (braided)
and jacketed, UV laser printable —
Product standard**

The European Standard EN 2714-012:2005 has the status of a
British Standard

ICS 49.060

National foreword

This British Standard is the official English language version of EN 2714-012:2005.

The UK participation in its preparation was entrusted by Technical Committee ACE/6, Aerospace avionics electrical and fibre optic technology, to Subcommittee ACE/6/-/2, Aerospace — Cables, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 9 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 10 February 2006

© BSI 10 February 2006

ISBN 0 580 47808 4

Amendments issued since publication

Amd. No.	Date	Comments

English Version

Aerospace series - Cables, electrical, single and multicore for
general purpose - Operating temperatures between - 55 °C and
260 °C - Part 012: DM family, screened (braided) and jacketed,
UV laser printable - Product standard

Série aérospatiale - Câbles, électriques, mono et
multiconducteurs d'usage général - Températures de
fonctionnement comprises entre - 55 °C et 260 °C - Partie
012 : Famille DM, blindés (tressés) et gainés, marquable au
laser UV - Norme de produit

Luft- und Raumfahrt - Leitungen, elektrisch, ein- und
mehradrig, für allgemeine Verwendung -
Betriebstemperaturen zwischen - 55 °C und 260 °C - Teil
012: DM-Familie, geschirmt (Umflechtung) und ummantelt
UV Laser bedruckbar - Produktnorm

This European Standard was approved by CEN on 12 September 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword	3
1 Scope	4
2 Normative references	4
3 Terms, definitions and symbols	4
4 Materials and construction.....	5
5 Required characteristics	7
6 Quality assurance	9
7 Designation	9
8 Identification and marking.....	9
9 Packaging, labelling and delivery lengths	9
10 Technical specification.....	9