

Vitrified clay pipes and fittings and pipe joints for drains and sewers —

Part 7: Requirements for vitrified clay pipes and joints for pipe jacking

The European Standard EN 295-7:1995 has the status of a British Standard

ICS 23.040.30; 23.040.50

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee B/505, Wastewater engineering, to Subcommittee B/505/2, Clay pipes, upon which the following bodies were represented:

- Department of the Environment
- Federation of Civil Engineering Contractors
- Institution of Civil Engineers
- Institution of Water and Environmental Management
- Society of British Water Industries
- Water Services Association of England and Wales
- Co-opted members

This British Standard, having been prepared under the direction of the Sector Board for Building and Civil Engineering, was published under the authority of the Standards Board and comes into effect on 15 April 1996

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference B/505/2
Draft for comment 93/104362 DC

ISBN 0 580 25431 3

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Text of EN 295-7	5
List of references	Inside back cover

National foreword

This Part of BS EN 295 has been prepared by Subcommittee B/505/2 and is the English language version of EN 295-7:1995 *Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 7: Requirements for vitrified clay pipes and joints for pipe jacking*, published by the European Committee for Standardization (CEN). This European Standard was prepared by Working Group 2, Vitrified Clay Pipes, of Technical Committee CEN/TC 165, with the active participation and approval of the UK.

Cross-references

Publication referred to	Corresponding British Standard
	BS EN 295 <i>Vitrified clay pipes and fittings and pipe joints for drains and sewers</i>
EN 295-1:1991	Part 1:1991 <i>Requirements</i>
EN 295-2:1991	Part 2:1991 <i>Quality control and sampling</i>
EN 295-3:1991	Part 3:1991 <i>Test methods</i>
EN 295-4:1995	Part 4:1995 <i>Requirements for special fittings, adaptors and compatible accessories</i>
ISO/DIS 4633:1986	BS 2494:1990 <i>Specification for elastomeric seals for joints in pipework and pipelines</i>

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN title page, pages 2 to 16, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

ICS 23.040.30; 23.040.50

Descriptors: Sanitation, water removal, water pipelines, pipes: tubes, accessories, sandstone products, assembling, thrust boring, specifications, dimensions, designation, marking

English version

Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 7: Requirements for vitrified clay pipes and joints for pipe jacking

Tuyaux et accessoires en grès et assemblages de tuyaux pour les réseaux de branchement et d'assainissement — Partie 7: Prescriptions pour les tuyaux en grès et leurs assemblages destinés au fonçage

Steinzeugrohre und Formstücke sowie Rohrverbindungen für Abwasserleitungen und -kanäle — Teil 7: Anforderungen an Steinzeugrohre und Verbindungen beim Rohrvortrieb

This European Standard was approved by CEN on 1995-07-02. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

© 1995 All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

 **Documents**
Ref. No. EN 295-7:1995 E
Document Sharing Hub

Foreword

This European Standard has been prepared by the Technical Committee CEN/TC 165, Wastewater engineering, the secretariat of which is held by DIN.

The other Parts of this standard comprise:

- *Part 1: Requirements;*
- *Part 2: Quality control and sampling;*
- *Part 3: Test methods;*
- *Part 4: Requirements for special fittings, adaptors and compatible accessories;*
- *Part 5: Requirements for perforated vitrified clay pipes and fittings;*
- *Part 6: Requirements for vitrified clay manholes.*

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 1996, and conflicting national standards shall be withdrawn at the latest by April 1996.

In accordance with the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Contents

	Page
Foreword	2
1 Scope	5
2 Normative references	5
3 Definitions	5
4 Pipes	5
4.1 Materials and manufacture	5
4.2 Measurement of dimensions	5
4.3 Minimum bore and internal diameter	5
4.3.1 Minimum bore	5
4.3.2 Internal diameter	6
4.3.3 Invert conformity	6
4.4 External diameter	6
4.5 Length	6
4.6 Squareness of ends	6
4.7 Deviation from straightness	6
4.8 Strength	7
4.8.1 Crushing strength (FN)	7
4.8.2 Compressive strength	7
4.8.3 Jacking strength	7
4.8.4 Design jacking load	7
4.8.5 Maximum working jacking load	7
4.8.6 Bending tensile strength	7
4.8.7 Fatigue strength under pulsating load	7
4.9 Watertightness of pipes	7
4.10 Chemical resistance	7
4.11 Hydraulic roughness	7
4.12 Abrasion resistance	7
5 Joint assemblies	7
5.1 Jointing materials	7
5.1.1 Rubber sealing elements	7
5.1.2 Polyurethane sealing elements	7
5.1.3 Stainless steel sleeves	8
5.1.4 Polypropylene sleeve couplings	8
5.1.5 Materials of other components	8
5.2 Packing rings	8
5.3 Watertightness of joints	8
5.3.1 Internal pressure	8
5.3.2 External pressure	8
5.4 Angular deflection	8
5.5 Shear resistance	8
5.6 Chemical and physical resistance to effluent	8
5.6.1 Joint assemblies	8

	Page
5.6.2 Jointing materials	8
5.7 Thermal cycling stability	8
5.8 Long-term thermal stability	9
6 Sampling	9
6.1 General	9
6.2 Compressive and jacking strength	9
7 Designation	9
8 Marking	9
8.1 Pipes	9
8.2 Limitation	9
9 Quality assurance	9
Annex A (normative) Compressive strength	11
Annex B (normative) Calculation of maximum working jacking load	12
Annex C (normative) Invert conformity	13
Annex D (normative) Squareness of ends	15
Figure B.1 — Relationship between stress ratio $\sigma_{\max}/\sigma_0$ and eccentricity ratio Z/d_a	13
Figure C.1 — Invert conformity (top marked pipes)	14
Figure C.2 — Invert conformity (randomly jointed pipes)	14
Figure D.1 — Gauge for squareness of ends	15
Table 1 — Minimum bore	5
Table 2 — Tolerance on internal diameter	6
Table 3 — Invert conformity	6
Table 4 — Tolerance on external diameter	6
Table 5 — Deviation from squareness of ends	6
Table 6 — Crushing strengths	7
Table 7 — Deflection	8
Table 8 — Applicable sampling clauses	10