

Workplace atmospheres — Electrical apparatus used for the direct detection and direct concentration measurement of toxic gases and vapours —

**Part 2: Performance requirements for
apparatus used for measuring
concentrations in the region of limit
values**

The European Standard EN 45544-2:1999 has the status of a
British Standard

ICS 13.040.30; 13.320

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard is the official English language version of EN 45544-2:1999.
The UK participation in its preparation was entrusted by Technical Committee GEL/31, Electrical apparatus for explosive atmospheres, to Subcommittee GEL/31/19, Gas detectors, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 9 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Electrotechnical Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 February 2000

© BSI 02-2000

ISBN 0 580 34235 2

Amendments issued since publication

Amd. No.	Date	Comments

English version

Workplace atmospheres - Electrical apparatus used for the
direct detection and direct concentration measurement of toxic
gases and vapours - Part 2: Performance requirements for
apparatus used for measuring concentrations in the region of
limit values

Atmosphères des lieux de travail - Appareillage électrique
utilisé pour la détection directe des vapeurs et gaz toxiques
et le mesurage direct de leur concentration - Partie 2:
Exigences de performances pour les appareillages utilisés
pour le mesurage des concentrations de l'ordre des valeurs
limites

Arbeitsplatzatmosphäre - Elektrische Geräte für die direkte
Detektion und direkte Konzentrationsmessung toxischer
Gase und Dämpfe - Teil 2: Anforderungen an das
Betriebsverhalten von Geräten für
Konzentrationsmessungen im Bereich von Grenzwerten

This European Standard was approved by CEN on 5 September 1999 and by CENELEC on 15 November 1999.

CEN/CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN/CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN/CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN/CENELEC members are the national standards bodies and national electrotechnical committees, respectively, of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



CENELEC

CEN Central Secretariat:
rue de Stassart, 36 B-1050 Brussels

CENELEC Central Secretariat:
rue de Stassart, 35 B-1050 Brussels

Contents

Foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Definitions	6
4 General requirements	6
5 Test conditions	6
6 Performance requirements	6
6.1 Standard requirements	6
6.2 Unpowered storage	7
6.3 Measurement of deviations	7
6.4 Mechanical tests	7
6.4.1 Vibration	7
6.4.2 Droptest	7
6.5 Environmental tests	7
6.5.1 Temperature	7
6.5.2 Pressure	8
6.5.3 Humidity	8
6.5.4 Air speed	8
6.6 Performance tests	8
6.6.1 Audible alarm (personal, portable, and transportable apparatus)	8
6.6.2 Alarm set point(s)	8
6.6.3 Alarm response time (applicable to all alarm instruments)	8
6.6.4 Flow failure warning	8
6.6.5 Warm-up time	8
6.6.6 Time of response	8
6.6.7 Time of recovery	8
6.6.8 Addition of sampling probe (portable and transportable apparatus only)	8
6.6.9 Field verification kit	9
6.6.10 Gas concentrations above the upper limit of the measuring range	9
6.6.11 Extended operation in standard test gas	9
6.6.12 Orientation tests	9