

Communication cables — Specifications for test methods —

Part 1-13: Electrical test methods — Coupling attenuation or screening attenuation of patch cords/coaxial cable assemblies/pre-connectorised cables

The European Standard EN 50289-1-13:2004 has the status of a
British Standard

ICS 33.120.10

National foreword

This British Standard is the official English language version of EN 50289-1-13:2004.

The UK participation in its preparation was entrusted to Technical Committee EPL/46, Communication cables, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 13, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 14 April 2004

© BSI 14 April 2004

ISBN 0 580 43650 0

**Communication cables –
Specifications for test methods
Part 1-13: Electrical test methods –
Coupling attenuation or screening attenuation of patch cords /
coaxial cable assemblies /
pre-connectorised cables**

Câbles de communication –
Spécifications des méthodes d'essai
Partie 1-13: Méthodes d'essais électriques –
Affaiblissement de couplage ou
affaiblissement de blindage des cordons
de raccordement / des ensembles de câbles
coaxiaux / des câbles à pré-connecteurs

Kommunikationskabel –
Spezifikationen für Prüfverfahren
Teil 1-13: Elektrische Prüfverfahren –
Kopplungsdämpfung oder
Schirmdämpfung für Rangierschnüre,
koaxiale konfektionierte Kabel,
konfektionierte Kabel

This European Standard was approved by CENELEC on 2004-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 46X, Communication cables.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50289-1-13 on 2004-02-01.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2005-02-01
 - latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2007-02-01
-

Contents

1	Scope	4
2	Normative references.....	4
3	Definitions	4
4	Test method	4
4.1	Equipment	4
4.1.1	General	4
4.1.2	Balun requirements.....	5
4.1.3	Test head and extension cable requirements.....	6
4.1.4	Impedance matching.....	7
4.2	Test sample.....	7
4.2.1	Length of the patch cords under test	7
4.2.1.1	Single ended patch cords	7
4.2.1.2	Double ended patch cords	7
4.2.2	Length of extension cables connected to patch cord under test	7
4.2.3	Tested length.....	7
4.2.4	Preparation of extension cable and test head	7
4.2.4.1	Balanced patch cords	7
4.2.4.2	Multi-conductor patch cords.....	8
4.2.4.3	Coaxial patch cords.....	8
4.3	Calibration procedure	8
4.4	Test set-up	8
4.4.1	General	8
4.4.2	Test set-up verification.....	10
4.4.1.1	Determination of measurement sensitivity of the set-up.....	10
4.4.1.2	Verification of test set-up calibration	11
4.4.1.3	Pulling force on patch cords	11
4.5	Measuring procedure	11
5	Expression of test results.....	11
6	Test report.....	12
6.1	General	12
6.2	Evaluation of test results (informative)	12
	Figure 1 – Measurement of surface wave at near end of patch cord	5
	Figure 2 – Termination of extension cables.....	8
	Figure 3 – Test set-up for a near end measurement of a double ended patch cord	9
	Figure 4 – Test set-up for a near end measurement of a single ended patch cord	9
	Figure 5 – Test set-up for a near end measurement of a double ended patch cord	10
	Figure 6 – Validation test set-up	11
	Figure 7 – Typical measurement of an unscreened balanced patch cord	13
	Figure 8 – Typical measurement of a screened balanced patch cord	13
	Table 1 – Balun performance characteristics (30 MHz to 1 GHz)	6