

Safety of machinery — Temperatures of touchable surfaces — Ergonomics data to establish temperature limit values for hot surfaces

The European Standard EN 563:1994 including its amendment A1:1999 has the status of a British Standard

ICS 13.110

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Cooperating organizations

The European Committee for Standardization (CEN), under whose supervision this European Standard was prepared, comprises the national standards organizations of the following countries:

Austria	Oesterreichisches Normungsinstitut
Belgium	Institut belge de normalisation
Denmark	Dansk Standard
Finland	Suomen Standardisoimisliitto, r.y.
France	Association française de normalisation
Germany	Deutsches Institut für Normung e.V.
Greece	Hellenic Organization for Standardization
Iceland	Technological Institute of Iceland
Ireland	National Standards Authority of Ireland
Italy	Ente Nazionale Italiano di Unificazione
Luxembourg	Inspection du Travail et des Mines
Netherlands	Nederlands Normalisatie-instituut
Norway	Norges Standardiseringsforbund
Portugal	Instituto Português da Qualidade
Spain	Asociación Española de Normalización y Certificación
Sweden	Standardiseringskommissionen i Sverige
Switzerland	Association suisse de normalisation
United Kingdom	British Standards Institution

This British Standard, having been prepared under the direction of the Personal Safety Equipment Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 November 1994

© BSI 05-2000

The following BSI references relate to the work on this standard:
Committee reference PSM/39
Draft for comment 91/48653 DC

ISBN 0 580 23149 6

Amendments issued since publication

Amd. No.	Date	Comments
8972	December 1995	Introduction of annex G, national annex NC and alteration to Figure 3b
10797	March 2000	Indicated by a sideline
10961 Corrigendum No. 1	May 2000	Reinstates text missing from amendment No. 2 (AMD 10797)

Contents

	Page
Cooperating organizations	Inside front cover
National foreword	ii
Foreword	2
Text of EN 563	4
National annex NA (informative) Committees responsible	22
National annex NB (informative) Cross-references	22
National annex NC (informative) English translation of Annex G	22

National foreword

This British Standard has been prepared under the direction of the Personal Safety Equipment Standards Policy Committee and is the English language version of EN 563:1994, *Safety of machinery — Temperatures of touchable surfaces — Ergonomics data to establish temperature limit values for hot surfaces*, including corrigendum October 1994 and amendment A1:1999 published by the European Committee for Standardization (CEN).

EN 563 was produced as a result of international discussions in which the United Kingdom took an active part.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN title page, pages 2 to 24, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Sidelining in this document indicates the most recent changes by amendment.

Descriptors: Safety of machines, area, temperature, heat, peril, human factors engineering, limits, temperature measurements, data

English version

Safety of machinery — Temperatures of touchable surfaces — Ergonomics data to establish temperature limit values for hot surfaces

(includes amendment A1:1999)

Sécurité des machines — Températures des surfaces tangibles — Données ergonomiques pour la fixation de températures limites des surfaces chaudes
(inclut l'amendement A1:1999)

Sicherheit von Maschinen — Temperaturen berührbarer Oberflächen — Ergonomische Daten zur Festlegung von Temperaturgrenzwerten für heiße Oberflächen
(enthält Änderung A1:1999)

This European Standard was approved by CEN on 1994-06-14; amendment A1 was approved by CEN on 1999-07-01. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword

This European Standard has been prepared by the Technical Committee CEN/TC 122, Ergonomics, the secretariat of which is held by DIN.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Directive(s).

This is a type B1-standard in a series of standards for machinery safety. This means that it should be used when determining the requirements in type C-standards in a series. In addition, this standard should be used to contribute to the establishment of design and construction specifications when appropriate C-standards do not exist. Although specifically written for the safety of machinery, this type B1-standard can be used for other appropriate fields of application.

Annexes designated “normative” are part of the body of the standard. Annexes designated “informative” are given only for information. In this standard Annex B is normative and Annexes A, C, D, E, F and G are informative,

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 1994, and conflicting national standards shall be withdrawn at the latest by December 1994.

In accordance with the CEN/CENELEC Internal Regulations, following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

Foreword to amendment A1

This amendment EN 563:1994/A1:1999 to EN 563:1994 has been prepared by Technical Committee CEN/TC 122, Ergonomics, the Secretariat of which is held by DIN.

This amendment to the European Standard EN 563:1994 shall be given the status of a national standard either by publication of an identical text or by endorsement, at the latest by February 2000, and conflicting national standards shall be withdrawn at the latest by February 2000.

This amendment to the European Standard EN 563:1994 has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this standard.

According to the CEN/CENELEC Internal Regulations, the national standards organization of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Contents

	Page
Foreword	2
0 Introduction	4
1 Scope	4
2 Normative references	4
3 Definitions	5
4 Burn thresholds	5
5 Application	12
6 Interpretation and conclusions	13
Annex A (informative) Scientific background	15
Annex B (normative) Examples of contact periods	16
Annex C (informative) Protective measures	16
Annex D (informative) Examples of the application of the standard	17
Annex E (informative) Thermal properties of selected materials	19
Annex F (informative) Bibliography	20
Annex G (informative) A-Deviation	21
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives	24
Figure 1 — Illustration of relationship between the burn threshold and the contact period when a hot surface is touched by the skin	7
Figure 2 — Burn threshold spread when the skin is in contact with a hot smooth surface made of bare (uncoated) metal	8

	Page
Figure 3a — Rise of the burn threshold spread from Figure 2 for metals which are coated by lac of a thickness of 50 µm, 100 µm and 150 µm	9
Figure 3b — Rise of the burn threshold spread from Figure 2 for metals which are coated by Rilsan ²⁾ (thickness 400 µm), powder (60 µm and 90 µm) and porcelain enamel (160 µm)	9
Figure 4 — Burn threshold spread when the skin is in contact with a hot smooth surface made of ceramics, glass and some stone materials	10
Figure 5 — Burn threshold spread when the skin is in contact with a hot smooth surface made of plastics	10
Figure 6 — Burn threshold spread when the skin is in contact with a hot smooth surface made of wood	11
Table 1	12
Table 2 — Burn threshold spreads for a contact period of 0,5 s	6
Table 3 — Rise of burn threshold spread for coated metals for a contact period of 0,5 s	6
Table B.1	16
Table E.1 — Thermal properties of selected materials (taken from [3])	19

0 Introduction

Accessible surfaces of machinery, which are hot when operated, represent sources of risk of burning. Touching such hot surfaces may take place intentionally, e.g. to operate a handle of the machine, or may take place unintentionally, when a person is near the machine. General directions for the design of safe machinery, taking into consideration measures against hazards, including thermal hazards, are specified in EN 292.

To assess the risk of burn due to a hot surface it is necessary to know those factors and influences which lead to a burn when a hot surface is touched by the skin. The most important factors are:

- the temperature of the surface;
- the material of which the surface consists;
- the period of contact between the skin and the surface.

Other factors may also occur but are of minor importance. In this standard data are specified to assess the risk of burn, when a hot surface is touched by the skin. These data may also be used if it is necessary to set temperature limit values for hot surfaces in other standards or regulations.

The data specified in this standard are based on scientific research and represent, as far as is known, the behaviour of the human skin when in contact with a hot surface.

Burn threshold data for very short contacts of 0,5 s are not directly based on scientific research but are deduced by extrapolation of the burn threshold curves for longer contact periods. Considering human reaction times and their distribution in the population 0,5 s is the minimum applicable contact period for healthy adults on an acceptable safety level.

1 Scope

This standard establishes ergonomics data and their use in establishing temperature limit values for hot surfaces and in the assessment of the risks of burning.

This standard is applicable within the field of application of the EN 292 to hot surfaces of machinery that are or can be touched during normal use.

This standard provides data concerning circumstances under which contact between bare skin and hot surface does or may lead to burns. These data allow the assessment of risks of burning.

This standard also provides data to be used to establish temperature limit values for hot surfaces to protect against skin burns. These data can be

used in the development of standards for specific machinery where as a result of a risk assessment temperature limits are required.

The data of this standard are applicable to surfaces of objects with relatively high thermal capacity compared with that of the skin of the human body.

This standard is not applicable if a large area of the skin (approximately 10 % or more of the skin of the whole body) can be in contact with the hot surface. This standard is also not applicable to skin contact of more than 10 % of the head or contact which could result in burns of vital areas of the face.

NOTE 1 In some cases the results of contact with a hot surface may be more serious for the individual, for example:

- a) burns resulting in the restriction of airways;
- b) a large burn (more than 10 % of the body surface) may impair the circulation by fluid loss;
- c) heating of a large proportion of the head or whole body may lead to unacceptable heat strain even in the absence of burning.

This standard is applicable to the healthy skin of adults.

This standard does not provide data for protection against pain.

NOTE 2 If the burn thresholds specified in this standard are not exceeded, there is normally no risk of burning, when the skin comes in contact with the hot surface, but pain may occur nevertheless. If there is also a need for protection against pain, surface temperature values should be taken from suitable other sources (see annex A).

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 292-1:1991, *Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology.*

EN 292-2:1991, *Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles and specifications.*

prEN 614-1, *Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles.*

prEN 1050¹⁾, *Safety of machinery — Risk assessment.*

¹⁾ Draft standard prepared by CEN/TC 114/WG 14.

3 Definitions

For the purposes of this standard, the following definitions apply.

3.1

surface temperature (T_S)

the temperature of a surface measured in degrees Celsius

3.2

contact period (t)

the time during which contact with the surface takes place

3.3

thermal inertia

the product of the density, thermal conductivity and specific thermal capacity of material

3.4

material properties of the surface

the chemical/physical composition of the material and the characteristics (rough, smooth) and shape of the surface

3.5

burn classification

burns are classified into 3 levels depending on severity:

a) *superficial partial thickness burn*. In all but the most superficial burns, the epidermis is completely destroyed but the hair follicles and sebaceous glands as well as the sweat glands are spared.

b) *deep partial thickness burn*. A substantial part of the dermis and all sebaceous glands are destroyed and only the deeper parts of the hair follicles or the sweat glands survive.

c) *whole thickness burn*. When the full thickness of the skin has been destroyed and there are no surviving epithelial elements.

3.6

burn threshold

the surface temperature defining the boundary between no burn and a superficial partial thickness burn, caused by contact of the skin with a hot surface for a specified contact period

4 Burn thresholds

4.1 General

This clause provides surface temperature data for burn thresholds. An estimate of the risk of burning is possible by measuring the surface temperature and by comparison with the values specified in 4.2. The burn thresholds specified in 4.2 may also be used for the establishment of surface temperature limit values of machinery for protection against burns.

NOTE The occurrence of burning depends on the temperature of the skin and on the duration of raised skin temperature. The connection between skin temperature, duration of its influence and occurrence of burning has been scientifically studied and is known (see Annex A). But it is not practicable by simple means to measure the temperature of the skin during its contact with the hot surface of a machine. Therefore in this standard it is not the temperature values of the skin which are specified but the temperature values of hot surfaces of machinery which, when in contact with the skin, lead to burns (the burn thresholds). The temperature of a surface of a machine is simply measurable by appropriate measuring facilities.

The surface temperatures which lead to burns during contact of the skin with a hot surface depend on the material of which the surface consists, and on the duration of the contact of the skin with the surface. This relationship is presented in Figure 1. Figure 1 shows this relationship for several groups of materials which have similar heat conductivity properties and therefore similar burn thresholds.

A point on a burn threshold curve indicates, for a particular contact period, that surface temperature which lies between non-injury of the skin and the onset of a superficial partial thickness burn when the skin comes into contact with the hot surface.

Surface temperature values lying below the curve in general do not lead to a burn. Surface temperature values lying above the curve will lead to a burn of the skin (see also annex A).

The illustrative Figure 1 only serves to provide better understanding and does not accurately represent the burn threshold data. The exact burn threshold values have to be taken from Figure 2, Figure 3a, Figure 3b, Figure 4, Figure 5 and Figure 6 and Table 1.