

Nominal dimensions of cylindrical machined graphite electrodes with threaded sockets and nipples for use in electric arc furnaces

The European Standard EN 60239:1997 has the status of a
British Standard

ICS 25.180.10

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard is the English language version of EN 60239:1997. It is identical with IEC 60239:1997.

The UK participation in its preparation was entrusted to Technical Committee PEL/27, Electroheating, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

From 1 January 1997, all IEC publications have the number 60000 added to the old number. For instance, IEC 27-1 has been renumbered as IEC 60027-1. For a period of time during the change over from one numbering system to the other, publications may contain identifiers from both systems.

Cross-references

Attention is drawn to the fact that CEN and CENELEC Standards normally include an annex which lists normative references to international publications with their corresponding or European publications. The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN title page, pages 2 to 13 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Electrotechnical Sector Board, was published under the authority of the Standards Board and comes into effect on 15 October 1997

© BSI 02-2000

ISBN 0 580 28517 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	2
Text of EN 60239	3

Descriptors: Electrodes, nipple, arc furnace, dimension

English version

Nominal dimensions of cylindrical machined graphite electrodes with threaded sockets and nipples for use in electric arc furnaces

(IEC 60239:1997)

Dimensions nominales des électrodes cylindriques tournées avec logements et nipples filetés en graphite pour les fours à arc
(CEI 60239:1997)

Nennmaße von zylindrischen Graphitelektroden mit Gewindeschachteln und Nippeln für Lichtbogenöfen
(IEC 60239:1997)

This European Standard was approved by CENELEC on 1997-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B-1050 Brussels

Foreword

The text of document 27/182/FDIS, future edition 3 of IEC 60239, prepared by IEC TC 27, Industrial electroheating equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60239 on 1997-07-01.

This European Standard supersedes HD 564 S1:1990.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1998-04-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 1998-04-01

Annexes designated “informative” are given for information only. In this standard, Annex A is informative.

Endorsement notice

The text of the International Standard IEC 60239:1997 was approved by CENELEC as a European Standard without any modification.

Contents

	Page
Foreword	2
1 General	3
1.1 Scope	3
1.2 Object	3
1.3 System of measurement	3
2 Electrodes	3
2.1 Diameter of electrodes	3
2.2 Length	3
2.3 Threaded socket (dimensions)	3
2.4 Designation	3
3 Nipples	3
3.1 Dimensions	3
3.2 Designations	4
Annex A (informative) Male-female electrodes	10
Figure 1 — Electrode with low spot	7
Figure 2 — Threaded socket	7
Figure 3 — Type T4N and T4L taper nipple	8
Figure 4 — Type T3N taper nipple	9
Figure A.1 — Threaded details for male-female electrode diameters 175 mm to 250 mm (MF4)	11
Figure A.2 — Threaded details for male-female electrode diameters 300 mm to 400 mm (MF3)	11
Figure A.3 — Male-female electrode diameters 175 mm to 250 mm (MF4)	12
Figure A.4 — Male-female electrode diameters 300 mm to 400 mm (MF3)	13
Table 1 — Diameters and lengths of machined and threaded graphite electrodes	4
Table 2 — Length tolerances of machined and threaded graphite electrodes	4
Table 3 — Dimensions of threaded sockets of graphite electrodes (type T4N and T4L)	5
Table 4 — Dimensions of threaded sockets of graphite electrodes (type T3)	5
Table 5 — Dimensions of graphite nipples (type T4N and T4L)	6
Table 6 — Dimensions of graphite nipples (type T3N)	6
Table A.1 — Male-female electrode diameters 175 mm to 250 mm (MF4)	10
Table A.2 — Male-female electrode diameters 300 mm to 400 mm (MF3)	10